Linn, Benton, and Lincoln Counties Regional Health Assessment 2022 - 2026





Building healthier communities together











Acknowledgements

This report was prepared by the Partnership for Community Health: Linn, Benton & Lincoln Counties (in alphabetical order):

- April Holland, Benton County Health
 Department
- Audrey Caro, Linn County Department of Health Services
- Avalon Mason, Benton County Health
 Department
- Brandan Kearney, Consultant with Samaritan Health Services
- Charissa Young-White, InterCommunity
 Health Network Coordinated Care
 Organization
- Christopher Sherrod, United Way of Linn, Benton & Lincoln Counties
- Cristal Solorio, Linn County Department of Health Services
- Cynthia De La Torre, Benton County Health Department
- Dani Crabtree, Linn County Department of Health Services
- Diego Nieto, Linn County Department of Health Services
- Danielle Salazar, Linn County Department of Health Services
- Elizabeth Herrera, Samaritan Health Services
- Florence Pourtal, Lincoln County Public Health
- Gayle Woodworth, Linn County Department of Health Services
- Isabella Welsh, Benton County Health
 Department
- JoAnn Miller, Samaritan Health Services

- Johnna Peters, Benton County Health
 Department
- Mac Gillespie, Benton County Health
 Department
- Madelyn Hiner, Lincoln County Public Health
- Marianne Seifert, Lincoln County Public Health
- Mara Sargent, Benton County Health
 Department
- Melissa Isavoran, InterCommunity Health Network Coordinated Care Organization
- Paulina Kaiser, Samaritan Health Services
- Peter Banwarth, Benton County Health
 Department
- Rachel Petersen, Linn County Department of Health Services
- Rebekah Fowler, InterCommunity Health
 Network Coordinated Care Organization
- Ruby Moon, Confederated Tribes of Siletz Indians
- Sara Hartstein, Benton County Health
 Department
- Sara Herd, Lincoln County Public Health
- Shelagh Baird, Samaritan North Lincoln Hospital
- Shane Sanderson, Linn County Department of Health Services
- Thomas Packebush, Benton County Health
 Department
- Todd Noble, Linn County Department of Health Services

The Partnership for Community Health would also like to extend special thanks to our numerous community partners for their invaluable contributions (in alphabetical order):

ABC House
Acosta Services
Advantage Dental

Albany Mayor's Office

Arcoíris Cultural

Benton County Health Navigation Program

Benton County Natural Areas, Parks & Events

Boys & Girls Club of Albany Boys & Girls Club of Corvallis

Casa Latinos Unidos CASA of Linn County

Center Against Rape and Domestic Violence

City of Corvallis Parks & Recreation

Coastal Range Food Bank

Community Harm Reduction Mentors & Allies

Community Services Consortium

Corvallis Climbers of Color

Corvallis Environmental Center

Corvallis Multi-Cultural Literacy Center

Corvallis School District 509J Family Advocates

Faith Hope and Charity, Inc. Family Tree Relief Nursery

FISH of Lebanon

Good Samaritan Regional Medical Center

Grace Wins Haven
Grupito Billingue

International Moms Group

Jackson Street Youth Services

Kepi Nak-Nak Resource Center Lincoln County Behavioral Health

Lincoln County Developmental Disabilities

Lincoln County Library District Lincoln County Sheriff's Office Lincoln County Solid Waste District Linn Benton Health Equity Alliance

Linn Benton NAACP

Mid Willamette Trans Support Network

Neighbors for Kids

Newport 60+ Activity Center Newport Recreation Center Olalla Center – Project Bravery Oregon Cascades West Council of

Governments, Meals on Wheels

Oregon Coast Community College Nursing

Oregon Department of Environmental Quality

Oregon State University

Oregon State University Basic Needs Center

Oregon State University Education

Opportunities Program

Oregon State University Extension
Panther Creek Community Center

Parenting Success Network

Pathfinder Clubhouse

Philomath Pride

Reconnections Counseling

Samaritan Albany General Hospital

Samaritan Lebanon Community Hospital

Samaritan North Lincoln Hospital

Samaritan Pacific Communities Hospital Senior Corps of Linn, Benton, and Lincoln

Counties

South Benton Food Pantry
Strengthening Rural Families

Vina Moses Center Volunteer Caregivers

Table of Contents

Ac	knowledgements	i
Ta	ble of Contentsble of Contents	iii
Та	ble of Tables	v
Ta	ble of Figures	vii
Ex	ecutive Summary	1
1	Introduction	2
	Goals	2
	Development Process	2
	Methodology	3
	Limitations	
2	Who We Are	
	Health Equity	
	Population Size	
	Rural & Urban Areas	
	Language, Disability, and Demographic Characteristics	
	Students	
3	Environmental Health	
	Air	
	Wildfires	
	Heat	
	Water	
	Solid Waste	
	Hazardous Waste	
	Neighborhood Environments	
4	Social Determinants of Health	
_	Economic Stability	
	Education	
	Food Insecurity	
	Emergency Food Support	
	Housing	
5	Access to Health Services.	
J	Insurance Coverage	
	Provider Availability	
	Preventive Services	
	Oregon Health Plan (Medicaid): InterCommunity Health Network Coordinated Care Organization	
	(IHN-CCO)(IHN-CCO)	
6	Morbidity and Mortality	
O	· · · · · · · · · · · · · · · · · · ·	
	Mortality	
	Leading Causes of Death	
	Tobacco-Related Mortality	
	Injury	
	Homicide	
	Chronic disease	
	Cancer	
	Heart Disease and Stroke	
	Infectious Illnesses (Non-COVID)	67

7	Healthy Youth & Families	70
	Pregnancy & Infant Health	70
	Birth Rate	70
	Prenatal Care and Healthy Pregnancy	72
	Prenatal Tobacco Use	73
	Premature Birth and Low Birthweight	75
	Teen Pregnancy	77
	Breastfeeding	78
	Child and Adolescent Health	79
	Child Abuse	79
	Youth Immunization Rates	81
8	Mental & Behavioral Health	83
	Mental Health	83
	Substance Use	88
	Nutrition & Physical Activity	92
	Oregon Health Plan (Medicaid): InterCommunity Health Network Coordinated Care C	Organization
	(IHN-CCO)	95
9	COVID-19	97
	Case Rates	97
	Hospitalizations	102
	Mortality	103
	Vaccination	105
10	Community Voices	109
	Regional Community Health Survey	109
	Qualitative Engagement Sessions	112
	Focus Groups	112
	Key Informant Interviews	112
11	Summary	114
	Key Themes	114
	Conclusion	116
Αp	ppendix 1: Acronyms used	117
Αp	opendix 2: Annotated list of select data sources	118
An	ppendix 3: References	120

Table of Tables

Table 2-1: Population size by age group	10
Table 2-2: Percent of population by race	11
Table 2-3: Percent of population by ethnicity	11
Table 2-4: Population size for cities with more than 5,000 residents in the region	12
Table 2-5: Percentage of specific demographic characteristics by location	13
Table 2-6: Percentage of languages spoken at home by location	13
Table 2-7: Percent of population per age group with disability by location	14
Table 2-8: Percent of population with disability by disability type and location	14
Table 2-9: Number of enrolled students by education level and location	15
Table 2-10: Percent of students enrolled in K-12 by race/ethnicity and location	16
Table 2-11: Number of students enrolled in college (undergraduate) by race/ethnicity and location	16
Table 3-1: Air quality status by year and location	18
Table 3-2: Total acres burned in thousands over time in Oregon and Washington	19
Table 3-3: Number of high heat and extreme heat days by year and location of monitoring sites	20
Table 3-4: Contaminants levels above federal standards in community public water systems, by contaminant an	ıd
location	21
Table 3-5: Cities with fluoridated community public water systems by county	22
Table 3-6: Percent of workforce 16 years and older by means of transportation to work and location	
Table 4-1: Income inequality by location	31
Table 4-2: Percent of age categories living in poverty by location	32
Table 4-3: Percent of racial/ethnic groups below poverty level by location	32
Table 4-4: Median household income by race/ethnicity and location	33
Table 4-5: Highest educational level achieved among adults age 25 years and over by location	
Table 4-6: Percent of high school students that graduate on time by race/ethnicity and location	
Table 4-7: Use of WIC benefits by location	
Table 4-8: Use of SNAP benefits by location	36
Table 4-9: Percent of population by home ownership status and location	38
Table 4-10: Demographics of the populations experiencing chronic homelessness by location	
Table 4-11: Percent of the homeless population by race and location	
Table 5-1: Percent of the population with health insurance coverage by age group and location	
Table 5-2: Percent of the population with health insurance coverage by race/ethnicity and location	44
Table 5-3: Percent of the population with health insurance coverage by income level and location	45
Table 5-4: Number of mental health professionals per 10,000 people by location	
Table 5-5: IHN-CCO Consumer Assessment of Healthcare Providers survey results	51
Table 6-1: Number of deaths per 100,000 people by age group and location	
Table 6-2: Number of deaths per 100,000 people by leading causes of death and location	57
Table 6-3: Number of injury deaths per 100,000 people by leading causes of injury deaths and location	59
Table 6-4: Age adjusted number of cancer diagnoses per 100,000 people by cancer type and location	61
Table 6-5: Age-adjusted number of cancer deaths per 100,000 people by cancer type and location	62
Table 6-6: Number of deaths per 100,000 adults 35 and older from heart disease by race/ethnicity and location	64
$Table \ 6-7: Number \ of \ deaths \ per \ 100,000 \ adults \ 35 \ years \ and \ older \ from \ stroke \ by \ race/ethnicity \ and \ location \ .$	
Table 6-8: Age adjusted percent of adults with risk factors for heart disease and stroke by location	
Table 7-1: Number of births per 1,000 population by maternal age group and location	
$ Table \ 7-2: Number \ of \ births \ per \ 1,000 \ gestational \ parents \ by \ gestational \ parent's \ race/ethnicity \ and \ location \ \ \\$	72
Table 7-3: Percent of pregnancies with inadequate or no prenatal care services by gestational parent's race/	
ethnicity and location	72

Table 7-4: Percent of pregnancies with inadequate or no prenatal care services by gestational parent's age $\mathfrak g$	group
and location	73
Table 7-5: Percent of maternal prenatal tobacco use by maternal age	74
Table 7-6: Percent of newborns with low birthweight by maternal age group and location	76
Table 7-7: Percent of newborns with low birthweight by gestational parent's race/ethnicity and location	76
Table 7-8: Percent of premature births by gestational parent's age group and location	77
Table 7-9: Percent of premature births by gestational parent's race/ethnicity and location	77
Table 7-10: Percent of gestational parents who utilized WIC during the postpartum period by breastfeeding	
duration and location	79
Table 7-11: Percent of adolescents ages 13 to 17 immunized for specific diseases by location	82
Table 8-1: Percent of adult smokers by quit status and location	89
Table 9-1: Newly confirmed COVID-19 cases by age group and location	100
Table 9-2: Newly confirmed COVID-19 Cases by race/ethnicity and location	100
Table 9-3: Number of COVID-19 deaths per 100,000 people by location	105
Table 9-4: Number of COVID-19 vaccinations by location	106
Table 9-5: Number of people with at least one dose of a COVID-19 vaccination by rarest race/ethnicity and I	ocation
	107
Table 9-6: Number of people with at least one dose of a COVID-19 vaccine by age group and location	108
Table 10-1: Demographic information from the 2,812 Community Survey respondents	110
Table 10-2: Perceived health status among Community Survey respondents	111
Table 10-3: Thematic groups from key informant interviews and their associated topics	112
Table 10-4: Percent of key informant responses by thematic group and location	113

Table of Figures

Figure 2-1: Visualizing health equity	7
Figure 2-2: Population by county and percent of regional population	8
Figure 2-3: Population pyramid for Benton County	8
Figure 2-4: Population pyramid for Lincoln County	9
Figure 2-5: Population pyramid for Linn County	
Figure 2-6: Percent of population residing in urban and rural/frontier areas	12
Figure 3-1: Number of wildfires by year and location	19
Figure 3-2: The materials life cycle	23
Figure 3-3: Pounds of chemicals released from industrial facilities in toxic release inventory	24
Figure 3-4: Percent of people who live within half a mile of specific store types by location	27
Figure 3-5: Percent of homes built by year and location	
Figure 3-6: Percent of population with access to exercise opportunities* by location	29
Figure 4-1: Centers for Disease Control and Prevention (CDC) graphic on social determinants of health	30
Figure 4-2: Percent of those with a disability living in poverty by location	33
Figure 4-3: High School graduation rate per 100 students by school year and location	35
Figure 4-4: Estimated percent of population experiencing food insecurity by year and location	37
Figure 4-5: Estimated percent of children under age 18 experiencing food insecurity by year and location	
Figure 4-6: Percent of households experiencing housing burden by ownership status and location	39
Figure 4-7: Percent of households experiencing extreme housing burden by ownership status and location	39
Figure 4-8: Percent of students enrolled in K-12 experiencing homelessness	
Figure 5-1: Percent of the population without health insurance by location	43
Figure 5-2. Primary care professionals per 10,000 people by location	
Figure 5-3: Behavioral health professionals per 10,000 people by location	
Figure 5-4: Number of oral health professionals per 10,000 people by location	48
Figure 5-5: Age-adjusted percent of adults who received cholesterol screening within the past five years by	
location	
Figure 5-6: Age-adjusted percent of women ages 50-74 who received a mammogram within the past two year	•
location Figure 5-7: Age-adjusted percent of adults who visited a doctor for a routine check-up within the past year by	
location	
Figure 5-8: Age-adjusted percent of adults who visited the dentist within the past year by location	
Figure 5-9: Percent of IHN-CCO members with a dental claim in the past year by age category and location	
Figure 5-10: Percent of IHN-CCO members with at least one visit to an emergency department in the past yea location	-
Figure 5-11: Percent of IHN-CCO members with five or more visits to an emergency room in the past year by	52
locationlocation in the past year by	53
Figure 6-1: Number of deaths per 100,000 people by year and location (crude death rate)	
Figure 6-2: Leading causes of death per 100,000 people comparison of Oregon and Linn-Benton-Lincoln Regio	
Figure 6-3: Age-adjusted number of deaths per 100,000 people related to tobacco use by location	
Figure 6-4: Number of injury deaths per 100,000 people by location	
Figure 6-5: Age-adjusted number of cancer diagnoses per 100,000 people by location	
Figure 6-6: Age adjusted number of cancer deaths per 100,000 people by location	
Figure 6-7: Age adjusted harmset of cancer deaths per 100,000 people by location Figure 6-7: Age adjusted percent of adults who have ever experienced coronary heart disease or stroke by loc	
Tigate 0 7. Age dajusted percent of dudies who have ever experienced coronary near disease or stroke by loc	
Figure 6-8: Number of deaths per 100,000 adults 35 years and older from heart disease or stroke by location	
Figure 6-9: Number of deaths per 100,000 adults 35 and older from heart disease by gender and location	
Figure 6-10: Number of deaths per 100,000 adults 35 and older from stroke by gender and location	

Figure 6-11: Reported cases of campylobacteriosis per 100,000 people by year and location	68
Figure 6-12: Reported cases of E. coli per 100,000 people by year and location	68
Figure 6-13: Reported cases of chlamydia per 100,000 people by year and location	69
Figure 6-14: Reported cases of gonorrhea per 100,000 people by year and location	
Figure 6-15: Reported cases of syphilis per 100,000 people by year and location	
Figure 7-1: Number of births per 1,000 people by year and location	
Figure 7-2: Percent of births in which tobacco was used during pregnancy by year and location	
Figure 7-3: Percent of newborns with low birthweight by year and location	
Figure 7-4: Teen pregnancy rate by location, 2018-2020	
Figure 7-5: Number of child abuse victims per 1,000 children by location	
Figure 7-6: Family stress factors among founded abuse cases, Oregon	
Figure 7-7: Number of children in foster care per 1,000 children by location	
Figure 7-8: Percent of two-year olds up to date with the 4:3:1:3:3:1:4 vaccine series by location	
Figure 8-1: Age adjusted percent of adults who experienced 14 or more "not good" mental health days by lo	
Figure 8-2: Age adjusted percent of adults that report being diagnosed with depression by location	
Figure 8-3: Percent of students who reported feeling sad or hopeless almost every day for 2+ weeks in a row	
grade and locationgrade and location	-
Figure 8-4: Percent of students who reported being bullied at school in the last 30 days by grade and locatio	
Figure 8-5: Age adjusted number of deaths by suicide per 100,000 people by year and location	
Figure 8-6: Number of deaths by suicide per 100,000 people by age group and location	
Figure 8-7: Percent of students who reported seriously considering attempting suicide by grade and location	
Figure 8-8: Percent of students who reported attempting suicide by grade and location	
Figure 8-9: Percent of adults 18 years and older who smoke cigarettes by location	
Figure 8-10: Percent of adults 18 years and older who binge drink by location	
Figure 8-11: Number of accidental/undetermined deaths from drug overdose per 100,000 people by year ar	
location	
Figure 8-12: Percent of 8 th grade students who reported ever using substances by substance and location	
Figure 8-13: Percent of 11 th grade students who reported ever using substances by substance and location	
Figure 8-14: Age-adjusted percent of adults 18 and over reporting no leisure-time physical activity in the pas	
month by location	
Figure 8-15: Percent of students who are physically active for at least 60 minutes per day by grade and locat	
Figure 8-16: Percent of students who consume 5 or more servings of fruits and vegetables per day by grade	
location	
Figure 8-17: Percent of IHN-CCO members with a serious and persistent mental illness (SPMI)* diagnosis, by	
and location	95
Figure 8-18: Percent of IHN-CCO members with a serious and persistent mental illness (SPMI)* who had an	
outpatient behavioral health visit by location	
Figure 9-1: Number of newly confirmed COVID-19 cases in Benton County by date	
Figure 9-2: Number of newly confirmed COVID-19 cases in Lincoln County by date	
Figure 9-3: Number of newly confirmed COVID-19 cases in Linn County by date	
Figure 9-4: Number of COVID-19 hospital admissions in Benton County over time	
Figure 9-5: Number of COVID-19 hospital admissions in Lincoln County over time	
Figure 9-6: Number of COVID-19 hospital admissions in Linn County over time	
Figure 9-7: Number of COVID-19 deaths in Benton County over time	
Figure 9-8: Number of COVID-19 deaths in Lincoln County over time	104
Figure 9-9: Number of COVID-19 deaths in Linn County over time	105
Figure 10-1: High priority issues from Community Survey respondents	111

Executive Summary

The Partnership for Community Health conducted this Regional Health Assessment (RHA) to better understand the health-related issues affecting the Linn, Benton, and Lincoln (LBL) region. This report includes data from a variety of local, state, and national data sources including both secondary data (surveys and data collection systems reported publicly) and primary data (new data collected from our community specifically for this assessment).

In the 2022 County Health Rankings, Benton County ranked 1st among Oregon counties for health outcomes (including measures of length of life and quality of life) and 2nd for health factors (including health behaviors, clinical care, social and economic factors, and physical environment).¹ Linn County was ranked in the middle of the 35 Oregon counties that received a ranking (16th for health outcomes and 17th for health factors) while Lincoln County ranked 27th for health outcomes and 33rd for health factors. These summary rankings highlight the variability within the LBL region as well as the potential opportunities to improve community health.

After a thorough review of available secondary data sources and gathering input from community members via a variety of primary data collection activities, the following key themes emerged:

Key Health Themes from the 2022 - 2026 Regional Health Assessment (in alphabetical order)

- **Access to Affordable Housing & Homelessness:** high prevalence of homelessness and financial burden due to housing costs.
- **Access to Quality Care**: inadequate access to primary care physicians, behavioral health providers, and dentists.
- **Equity, Diversity & Inclusion:** minoritized racial and ethnic groups and people living with disabilities (and likely other vulnerable populations not adequately identified in available data) experience more challenges than able-bodied White individuals.
- Food Insecurity & Access: high rates of food insecurity and limited access to grocery stores.
- **Healthy Youth & Families**: teen pregnancy, prenatal tobacco use, child abuse, and high number of children in foster care.
- **Mental Health**: high rates of depression and suicide; high rates of feeling sad or hopeless among high school students.
- Substance Use and Misuse: drug overdoses; teen use of e-cigarettes, alcohol, and prescription drugs.

1 Introduction

The 2022 - 2026 Linn, Benton, and Lincoln County Regional Health Assessment (RHA) is the result of many dedicated hours of research and collaboration between the Partnership for Community Health and agencies, leaders, and local residents across all three counties. A community health assessment provides comprehensive information about a community's health status, needs, and issues. The Partnership for Community Health recognizes that health is influenced by a wide range of conditions and factors. As such, the RHA presents information on numerous indicators, ranging from those commonly understood to impact health status, such as access to health care, to those whose link is less widely understood, such as education levels. This is an effort to recognize that health starts long before illness occurs and is impacted by where and how we live, learn, work, play, and pray.

This report is focused on describing the health trends, environmental conditions, and disparities affecting residents in recent years. Assessing health status and risk factors is a key foundation for informing plans for community health improvement, aligning priorities among regional stakeholders, and indicating health status trends.

Goals

Linn, Benton, and Lincoln counties are distinct areas with attractions that set them apart from one another and the state of Oregon as a whole. Despite these differences, the three counties also have many identifiers that make a regional approach to conducting a community health assessment valuable and reasonable. A regional approach allows for the identification of wider health trends that may promote or inhibit the health of those living in each of the three counties. Additionally, this regional approach allows all three counties to pool resources and to strengthen relationships, which can be leveraged for future activities. Due to the three counties' proximity, there are numerous organizations whose work extends beyond the confines of county lines to serve the LBL region in sectors including health care, social services, and more. It is also not uncommon for residents of one of the three counties making up the LBL region to frequent another for work, resources, or recreation.

This report is intended to:

- Describe the current health status and disparities affecting residents in LBL region;
- Identify areas of strength and weakness in terms of health status and access to resources; and
- Summarize available data to support collaborative alignment and decision-making among health stakeholders.

Development Process

The process of drafting the regional health assessment was guided by the Partnership for Community Health, a steering committee composed of stakeholder organizations. These organizations include the health departments of Linn, Benton, and Lincoln counties, Confederated Tribes of Siletz Indians, InterCommunity Health Network Coordinated Care Organization (IHN-CCO), Samaritan Health Services, and United Way of Linn, Benton & Lincoln Counties. See the Acknowledgments section of this report for a detailed list of participants. The Partnership for Community Health met monthly starting in September

2021 to plan and implement the regional health assessment. Additionally, two workgroups were established to coordinate specific efforts: the data workgroup and the engagement workgroup. The data group met biweekly from November 2021 through June 2022, with additional ad hoc meetings as needed after June. The data workgroup focused on identifying secondary data sources and creating relevant tables/figures to include in the chapters below. The engagement workgroup met biweekly from November 2021 through December 2022. The engagement workgroup focused on soliciting community input about community health through the community health survey, key informant interviews, and focus groups (see Chapter 10: Community Voices).

Methodology

Population-Level Data Sources

Most of the data presented in this report comes from publicly available secondary sources. An annotated list of the major data sources used throughout this report is available in Appendix 2. Data are reported separately by county where available.

We started by generating a list of health-related topics based on prior community health assessments, with additional topics identified as relevant (e.g., COVID-19). We looked for data sources available at the county level and excluded data collected prior to 2019.

In all tables and figures, nominal response categories are presented in alphabetical order. All tables and figures include a caption identifying the data source, the time period captured in the data, and a link to a relevant website.

We present age-adjusted numbers where possible to minimize the differences between counties due to different age distributions of the population. As shown in

Figure 2-3 and Figure 2-4, Benton County's population skews younger due to the large number of college students at Oregon State University while Lincoln County tends to be older due to retirees settling on the coast. Not all data sources had age-adjusted numbers available; for example, Chapter 6: Morbidity and Mortality includes the rates of leading causes of death using crude mortality rates (Table 6-2). As expected, the differences between counties are much larger using crude mortality rates than using age-adjusted mortality rates (for example, in Figure 6-6).

Community Voices

We gathered primary data from community members through a community health survey, focus groups, and key informant interviews.

Community Health Survey

The Community Survey was drafted to solicit input from anyone who lives, works, goes to school or spends time in Linn, Benton or Lincoln counties. The survey asked respondents to review a list of 30 different health-related topics, and assign each topic a rating corresponding to the degree of attention that issue should receive: 'least attention,' 'some attention', 'most attention,' or 'don't know.' The

survey also included a few questions about the respondent's demographic information and overall assessment of health of the community and health of the respondent.

The Community Survey was distributed in both paper and electronic methods. Paper copies were distributed to community partners, including versions translated into Arabic, Chinese, Korean, Russian, Spanish, and Vietnamese. Paper copies were also made available at popular community gathering spaces and some public events. The survey was also available via SurveyMonkey link for electronic distribution, which was advertised on partner social media sites and sent out via email.

Responses from the Community Survey were analyzed descriptively, as the use of convenience sampling means that the results are not representative of the general population.

Qualitative Data Collection

A variety of focus groups and key informant interviews were held across the region to solicit input from a broad range of community representatives, including under-represented populations. Conversation followed a semi-structured protocol, guided by 1-2 facilitators. Focus groups occurred via both in person and virtual formats. Participants gave permission for focus groups to be recorded and later transcribed. The following organizations and/or specific population groups participated in focus groups:

- African-American / Black focused
- Arabic Speakers
- Community Harm Reduction Mentors & Allies
- Esperanza para las Madres (Spanish-speaking moms living with depression)
- Grace Wins
- Grupito Billingüe (Spanish-English bilingual parent group)
- Guatemalan Immigrants and Mam-speakers
- Iglesia Bautista
- International Moms Group
- Oregon State University (OSU) Extension Nutrition Group
- OSU Basic Needs Center
- Panther Creek Echo Mountain wildfire survivors
- Parenting Success Network: Haga de la familia un placer
- Spanish-speaking farm workers
- Spanish Speakers
- Strengthening Rural Families

Additionally, 31 key informant interviews were conducted throughout the region with a diverse set of partners representing community-based organizations, cultural organizations, and decision-makers. Interviewees are not named to protect anonymity.

Analysis of the qualitative data included transcription of focus group recordings; identification of themes based on review of notes/transcripts by multiple reviewers; discussion to reach consensus on a final list of recurring themes; and then counting the total number of times each theme came up in focus groups and in key informant interviews. Results of the qualitative data collection are presented in Chapter 10: Community Voices.

Limitations

While the Regional Health Assessment identifies many critical issues pertaining to health in the region, it will never be fully comprehensive. This report should not be considered a formal study or research document investigating the causes of each issue raised or providing a detailed analysis of the data. In many cases, data are not available at the regional or county level, nor are all data stratified by race/ethnicity, income, education level, zip code, etc. Data that describe the many factors that contribute to health are not always readily available. In addition, conclusions, hypotheses, and interpretations of the interactions between the many factors that contribute to health may not be included, in part because the underlying structures of these interactions are still not fully understood.

Recognizing and highlighting the need for more detailed local data was a key objective of this assessment. As mentioned above (and throughout the document) data for Linn, Benton, and Lincoln counties were often not available for specific demographics, such as age, income, education-level, race/ethnicity, preferred language, or zip code. This greatly limited the ability to explore differences or disparities within specific sub-populations or geographies. When race/ethnicity data are gathered, analysis may be further limited due to a lack of data stratification by more specific racial categories, such as United States-born versus foreign-born for the Latino population, or the many ethnicities and cultures represented in the category of Asian Pacific Islander. There are limited data on populations that experience inequities and disparities in the region however, as highlighted in later chapters, and their needs and barriers to health and health care are likely to be greater than those of the population at large.


Throughout the document, national or Oregon state-wide data are provided to illustrate trends, especially among vulnerable populations, when county level or regional data are not available. It is important to note, however, that national or state-wide rates, trends, and patterns may not necessarily reflect the reality of specific communities, counties, or regional rates and trends. As regional partners continue to gather information to inform their practices and services, it is important to collect demographic data (i.e., zip codes, level of education, etc.) so that more accurate information can be used to inform future health improvement planning and other public health initiatives.

2 Who We Are

Benton, Lincoln, and Linn counties span approximately 3,946 square miles and are currently home to approximately 268,700 residents.²

For thousands of years, the land comprising the three counties was home to a variety of Native American tribes.³ In the 1840s, European settlers began to move west and displace the tribes. In 1855, the United States established a 1.3-millionacre reservation in what is now Lincoln County. Lincoln County remains the home of the Confederated Tribes of Siletz Indians.⁴

Today, the Linn, Benton, and Lincoln (LBL) region is a mixture of urban and rural areas and encompass diverse populations that vary widely in health and social needs.



Benton County is home to Oregon State University (OSU). OSU is the largest public university in Oregon and currently enrolls approximately 24,000 undergraduate and 5,000 graduate students. Benton County has a variety of recreational assets and outdoor spaces, including several trail systems to improve the health and recreation benefits for community members. In addition, Benton County is considered a regional health care hub and is home to agriculture and growing technology industries.

Lincoln County is located along the Central Oregon Coast and, in many ways, it benefits from its proximity to the Pacific Ocean. As a coastal community, Lincoln County's economy and attractions are vastly different than that of both Linn and Benton counties. Lincoln County contains the cities of Newport and Lincoln City, which are major tourism destinations, especially during the summer months when tourists flock to the county's miles of public beaches. Newport is one of two major fishing ports in Oregon and the county has a rich fishing history. Industries including accommodation and food services, retail, and health care and social assistance are drivers of the local economy.⁶

Linn County is the largest and most populous of the three counties and is located in the heart of the Willamette Valley. Linn County is a significant agricultural producer and is one of the main distributers of grass seed in the world. Linn County has additional industries in manufacturing and forestry and a growing health sector. Linn County has a plethora of outdoor recreation opportunities for community members to enjoy.

Health Equity

In discussing the health of our region, it is important to recognize that specific subpopulations may experience worse health outcomes than the general population. This chapter describes many of the subpopulations that will appear later in a health equity context. To understand the impact of these inequities, it is helpful to understand the variety of demographic characteristics represented in the LBL

region. This chapter includes information about geographic distribution, age, disability status, race and ethnicity, veteran status, and other categories.

Figure 2-1 defines equity by comparing it to equality. The top image shows equality, which is when everyone is given the same resources regardless of need. In this image, everyone has the same bike, but only the third person can ride the bike comfortably. The bottom image shows equity, in which we recognize that each person has different circumstances and needs. In this image, everyone is given the bike they need to ride comfortably. The goal of Partnership for Community Health is to promote equity across the region, recognizing that not everyone has the same opportunity to achieve health.




Figure 2-1: Visualizing health equity


Source: Robert Wood Johnson Foundation

For more information: https://www.rwjf.org/en/insights/our-research/infographics/visualizing-health-equity.html

Population Size

The LBL region is home to approximately 268,700 individuals. Linn County has the largest population with 127,216 individuals, followed by Benton County at 92,168 and Lincoln County at 49,336 individuals. Within Benton County, the largest percentage of population is age 20 to 24, presumably from the large student population who attend Oregon State University. Lincoln County's largest percentage of population falls within the older age group of 60 to 69. Within Linn County, the percentage of population is spread out rather evenly between all age groups. The LBL region on average is racially/ethnically less diverse than the state of Oregon.






Data source: United States Census Bureau, America Community Survey, Table B01001

Time period: 2016-2020

For more information: https://data.census.gov/


Figure 2-3: Population pyramid for Benton County



Data source: United States Census Bureau, America Community Survey, Table B01001

Time period: 2016-2020

Figure 2-4: Population pyramid for Lincoln County




Data source: United States Census Bureau, America Community Survey, Table B01001

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Figure 2-5: Population pyramid for Linn County



Data source: United States Census Bureau, America Community Survey, Table B01001

Time period: 2016-2020

Table 2-1: Population size by age group

Age Category	Benton	Lincoln	Linn	Oregon
Under 5	4.0%	4.4%	6.0%	5.5%
5-9	4.1%	5.1%	6.3%	5.8%
10-14	5.1%	4.6%	6.1%	6.0%
15-19	9.8%	4.4%	6.1%	5.9%
20-24	16.1%	4.1%	5.7%	6.4%
25-29	7.5%	4.7%	6.9%	7.1%
30-34	5.7%	4.9%	6.6%	7.1%
35-39	5.6%	5.0%	6.3%	6.9%
40-44	4.7%	5.2%	5.7%	6.5%
45-49	4.8%	5.3%	6.1%	6.3%
50-54	4.8%	5.8%	5.8%	6.0%
55-59	5.8%	7.5%	6.9%	6.3%
60-64	5.9%	10.1%	6.8%	6.7%
65-69	5.9%	11.7%	6.6%	6.2%
70-74	3.9%	6.9%	4.5%	4.5%
75-79	2.6%	4.5%	3.3%	2.9%
80-84	1.8%	3.1%	1.8%	1.9%
85+	1.8%	2.6%	2.3%	2.1%

Data source: United States Census Bureau, America Community Survey, Table S0101

Time period: 2016-2020

Table 2-2: Percent of population by race

Race	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	0.7%	2.5%	0.9%	1.1%
Asian	7.4%	1.1%	1.1%	4.5%
Black or African American	1.1%	0.3%	0.5%	1.9%
Native Hawaiian or Pacific Islander	0.2%	0.2%	0.1%	0.4%
Some Other Race	2.2%	3.0%	3.1%	3.4%
Two or More Races	4.9%	5.8%	5.4%	6.2%
White	83.4%	87.1%	88.8%	82.6%

Data source: United States Census Bureau, America Community Survey, Table B02001

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Table 2-3: Percent of population by ethnicity

Ethnicity	Benton	Lincoln	Linn	Oregon
Hispanic or Latino	7.6%	9.4%	9.4%	13.2%
Not Hispanic or Latino	92.4%	90.6%	90.6%	86.8%

Data source: United States Census Bureau, America Community Survey, Table B03001

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Rural & Urban Areas

The Oregon Office of Rural Health sets designations for urban, rural, and frontier Oregon areas. Rural is defined as any geographic area in Oregon ten or more miles from the middle of a population center of 40,000 people of more. Frontier is defined as any county with six or fewer people per square mile.8 65% of Oregon's population live in urban areas, 33% live in rural areas, and 2% live in frontier areas. Figure 2-5 shows the distribution of urban and rural areas by county. All cities/towns in Lincoln County are defined as rural whereas both Benton and Linn counties have urban and rural designations (no areas in Benton, Lincoln, or Linn counties are classified as frontier areas).




Figure 2-6: Percent of population residing in urban and rural/frontier areas

Data source: Oregon Office of Rural Health and Annual Population Report Tables, Portland State University

Population Research Center

Time period: 2020

For more information: https://www.ohsu.edu/oregon-office-of-rural-health/about-rural-and-frontier-data

Table 2-4: Population size for cities with more than 5,000 residents in the region

Name	County	Population
Corvallis	Benton	57,601
Albany (excluding North Albany)	Linn	47,877
Lebanon	Linn	19,122
Newport	Lincoln	10,591
Lincoln City	Lincoln	10,067
Sweet Home	Linn	9,893
Albany (North Albany only)	Benton	9,322
Philomath	Benton	5,682

Data source: Annual Population Report Tables, Portland State University Population Research Center Time period: 2021

For more information: https://www.pdx.edu/population-research/population-estimate-reports

Language, Disability, and Demographic Characteristics

Understanding the region's language, disability, and demographic characteristics offers the potential for advancements in health equity and improvements in health outcomes for diverse populations. Linn and Lincoln counties have a higher percentage of veterans when compared to Benton County and Oregon. Benton County has a larger foreign-born population than do both Linn and Lincoln counties, possibly due to Oregon State University (OSU), which attracts many international students. Both Linn and Lincoln counties have a greater percentage of residents ages five and older with a disability when compared to Benton County and Oregon. Additionally, the type of disability most seen varies significantly from one county to another.

Table 2-5: Percentage of specific demographic characteristics by location

	Benton	Lincoln	Linn	Oregon
Foreign born	9.9%	4.8%	4.2%	9.8%
Veterans	6.3%	12.9%	10.2%	8.3%

Data source: United States Census Bureau, America Community Survey (foreign born: Table DP02; veteran status:

Table S2101)

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Table 2-6: Percentage of languages spoken at home by location

	Benton	Lincoln	Linn	Oregon
English only	86.3%	92.7%	91.8%	84.7%
Spanish	5.0%	5.6%	6.4%	8.9%
Other Indo-European languages	2.3%	0.9%	1.0%	2.6%
Asian and Pacific Islander languages	5.6%	0.6%	0.7%	3.2%
Other languages	0.9%	0.1%	0.1%	0.7%

Data source: United States Census Bureau, America Community Survey, Table S1601

Time period: 2016-2020

Table 2-7: Percent of population per age group with disability by location

Age	Benton	Lincoln	Linn	Oregon
Under 5 years	0.4%	0.0%	0.0%	0.7%
5 to 17 years	4.8%	7.9%	7.0%	6.2%
18 to 34 years	7.6%	12.9%	11.3%	8.4%
35 to 64 years	10.5%	22.2%	17.1%	13.6%
65 to 74 years	18.4%	30.1%	31.1%	26.0%
75 years and over	42.9%	51.4%	51.7%	49.6%

Data source: United States Census Bureau, America Community Survey, Table S1810

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Table 2-8: Percent of population with disability by disability type and location

Disability Type	Benton	Lincoln	Linn	Oregon
Hearing difficulty	3.9%	6.4%	6.0%	4.6%
Vision difficulty	1.7%	4.4%	2.8%	2.4%
Cognitive difficulty	5.1%	8.2%	7.5%	6.2%
Ambulatory difficulty	4.4%	12.4%	9.2%	7.0%
Self-care difficulty	1.9%	3.9%	23.8%	2.7%
Independent living difficulty	4.5%	8.5%	7.0%	6.1%

Data source: United States Census Bureau, America Community Survey, Table S1810

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Students

There are four institutions of higher learning in the LBL region: Oregon State University (OSU), Linn-Benton Community College (LBCC), Western University of Health Sciences Oregon (Western University Oregon), and Oregon Coast Community College (OCCC).

Oregon State University (OSU) is located in Corvallis and draws people from all 50 states and more than 100 countries. In fall 2022, OSU had a record-high enrollment of 35,239 students. Linn-Benton Community College (LBCC) is based out of Albany, with additional campuses in Corvallis, Lebanon, and Sweet Home. LBCC had 6,451 students enrolled in fall 2022. Most of these students were enrolled in

classes held in Linn County, where LBCC's main campus is located. Considering dual enrollment with OSU and LBCC student populations, these figures may be subject to a small portion of double counting. Western University of Health Sciences Oregon (WesternU Oregon) has a campus in the Linn County city of Lebanon. WesternU Oregon offers a Doctor of Osteopathic Medicine program (through the College of Osteopathic Medicine of the Pacific – Northwest [COMP-NW]), Doctor of Physical Therapy program, and in 2023, the college will welcome its first occupational therapy students. WesternU enrollment for 2023 is projected to be 108 Doctor of Osteopathic Medicine students, 60 Doctor of Physical Therapy students, and 45 occupational therapy students. Oregon Coast Community College (OCCC) has locations in Lincoln City, Newport, and Waldport, all of which are in Lincoln County. During the fall 2022 term, OCCC had an enrollment of 933 students, the majority of which were enrolled in non-credit training and personal enrichment courses.

Education level is a strong predictor of health and will be explored further in Chapter 4: Social Determinants of Health. Benton County has a disproportionate number of students enrolled in college/graduate school when compared with Lincoln and Linn counties (Table 2-9).

Table 2-9: Number of enrolled students by education level and location

Education Level	Benton	Lincoln	Linn	Oregon
Students enrolled in early education	1,027	414	1,111	55,409
Students enrolled in K-12	11,162	6,111	19,954	627,934
Students enrolled in college/graduate school	21,248	1,737	5,574	264,831

Data source: United States Census Bureau, America Community Survey, Table S1401

Time period: 2016-2020

Table 2-10: Percent of students enrolled in K-12 by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	0.7%	4.5%	1.1%	1.2%
Asian	3.6%	0.7%	0.9%	4.0%
Black or African American	1.1%	0.5%	0.9%	2.3%
Hispanic or Latino	16.2%	23.9%	16.0%	25.0%
Multi-racial	8.2%	9.1%	7.2%	7.1%
Native Hawaiian or Pacific Islander	0.4%	0.2%	0.3%	0.8%
White	69.7%	61.0%	73.5%	59.7%

Data source: Oregon Department of Education, Fall Membership Report

Time period: 2021-2022

For more information: https://www.oregon.gov/ode/reports-and-data/students/Pages/Student-Enrollment-

Reports.aspx

Table 2-11: Number of students enrolled in college (undergraduate) by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	101	6	35	2,107
Asian	2,052	15	134	17,401
Black or African American	332	0	28	6,154
Hispanic or Latino	1,455	154	592	33,014
Multi-racial	1,159	72	378	17,948
Native Hawaiian or Pacific Islander	101	0	18	1,178
White	13,449	1,006	3,654	160,427

Note: includes community college students

Data source: United States Census Bureau, America Community Survey, Table B14007A-B14007E, B14007G,

B14007I

Time period: 2016-2020

3 Environmental Health

The environments in which we live, work, learn, play and pray impact our health and well-being. The air we breathe, the water we drink, and the neighborhoods we live in can all promote or diminish health. Climate change impacts all of these and can also have direct impacts on health through impacts on mental health.

Climate impacts on our mental health include increased anxiety and depression, post-traumatic stress disorder, substance abuse for coping, and strains on social relationships. Climate anxiety, also called eco-anxiety, is an overwhelming sense of fear, sadness and dread in the face of a warming planet. Elderly and children, those with preexisting mental illness, mobility impaired, indigenous, Black and Latinx people, migrants and refugees, and those with close ties to the land are at higher risk.¹¹

The full impact of climate change on the region is complex and interconnected. The effects of climate change in Western Oregon are expected to include heat waves, more precipitation in the winter and less in the summer, decreased snowpacks and increased drought, and increased frequency and intensity of both wildfires and floods. Historical and contemporary inequities will place the greatest burden of these changes on racially diverse and low-income communities. For a full accounting of the scientific consensus on climate change in Oregon, see the Oregon Climate Assessment published January 5, 2021.

Air

Poor air quality can exacerbate chronic conditions like asthma and can increase the likelihood of acute cardiac events like heart attacks. Individuals who are unable to remain indoors where air can be filtered have greater exposure to air pollution. These populations include farmworkers, road workers, individuals experiencing homelessness, and people who live in housing with inadequate air conditioning and may need to keep windows open during the hottest months of the year.

Fortunately, air quality is usually good or moderate in the LBL region, except during wildfire season (Table 3-1). Air quality is most often measured by the concentration of microscopic particles called particulate matter (PM) in the air. The major source of particulate matter in Oregon is from wildfire smoke, with a smaller portion coming from transportation and wood fireplaces. Particles less than 2.5 microns (PM2.5) in diameter can penetrate lungs and cause or exacerbate health problems. Wildfire smoke from other counties and states impact our local air quality. With climate change, wildfire season is becoming longer, and the risk of larger wildfires is increasing.

Oregon's Air Quality Index reports how clean the air is and provides information on potential health risks. It is based on three pollutants regulated by the federal Clean Air Act: ground-level ozone, particle pollution and nitrogen dioxide. The highest of the AQI values for the individual pollutants becomes the AQI value for that day. These are usually particulate pollution in our area.

Other sources of air pollution are industrial facilities which release air toxics. Please see Hazardous Waste section below for more information.

Table 3-1: Air quality status by year and location

Location	Air Quality	2018	2019	2020	2021
	Good	340	332	330	363
	Moderate	23	33	25	2
Ponton: Convollis	Unhealthy for Sensitive Groups	2	0	0	0
Benton: Corvallis	Unhealthy	0	0	3	0
	Very unhealthy	0	0	5	0
	Hazardous	0	0	3	0
	Good	299	297	320	360
	Moderate	65	68	36	5
Linn: Sweet Home	Unhealthy for Sensitive Groups	1	0	1	0
Lilli. Sweet Home	Unhealthy	0	0	1	0
	Very unhealthy	0	0	2	0
	Hazardous	0	0	6	0

Note: Future updates will include new Lincoln County Toledo site data. 2020 was a leap year with 366 days.

Data source: Oregon Department of Environmental Quality air quality monitors

Time period: 2018-2021


For more information: https://www.oregon.gov/deq/aq/Pages/aqi.aspx, https://www.oregon.gov/deq/aq/Documents/2020AQMonitoringReport.pdf

Wildfires

Wildfires affect health in many ways other than air quality. People living near wildlands can be displaced by wildfires, lose their homes or other property, and experience mental and emotional distress. In the summer, winds often blow north to south along the Oregon Coast (Oregon Coastal Atlas), so we included Washington wildfire acres along with Oregon's below.

Fortunately, wildfires do not often kill many people in Oregon, but nine people died across the state of Oregon during the record-setting 2020 wildfire season. The 2020 Echo Mountain fire in Lincoln County displaced 532 families; 49 individuals were still being sheltered as of May 2022, and an additional 162 families continue to receive Disaster Case Management services.¹²

Figure 3-1: Number of wildfires by year and location




Data source: Oregon Department of Forestry

Time period: 2000-2021

For more information: https://oregon-department-of-forestry-geo.hub.arcgis.com/datasets/geo::odf-fire-2/about

Table 3-2: Total acres burned in thousands over time in Oregon and Washington



Data source: National Interagency Fire Center

Time period: 2002-2021

For more information: https://www.nifc.gov/fire-information/statistics

Heat

Extreme heat makes many populations, such as those with chronic disease, young children, older adults, and outdoor workers, vulnerable to heat-related illnesses such as heat stroke, fainting, heat exhaustion, and heat cramps. Wildfire smoke, air pollution, and pollen can make respiratory conditions such as asthma worse.13

Periods of extreme heat can exacerbate health conditions and cause deaths. The heat wave in June 2020 caused at least 96 deaths across the state of Oregon.¹⁴ Climate change is increasing the likelihood and intensity of heat waves across the region, although the natural variability from year to year can obscure the trend over shorter time intervals.

Table 3-3: Number of high heat and extreme heat days by year and location of monitoring sites

Location	Heat Level	2017	2018	2019	2020	2021
Benton County (Hyslop	High heat	57	47	29	43	58
Field Station)	Extreme heat	12	10	3	8	11
Lincoln County (Otis)	High heat	11	2	5	4	4
	Extreme heat	4	0	0	0	0
Line County (Marine Forks)	High heat	57	43	24	37	57
Linn County (Marion Forks)	Extreme heat	7	4	1	4	13

Note: high heat = daily maximum temperature above 84 degrees F; extreme heat = daily maximum temperature above 94 degrees F

Data source: National Oceanic and Atmospheric Administration

Time period: 2017-2021

For more information: https://www.climate.gov/maps-data/all

Marion Forks is located along Highway 22 in the eastern Linn County Cascade foothills. Hyslop Field Station is located along Highway 20 between Corvallis and Albany. Otis is located along Highway 18 in northwestern Lincoln County. Together, these three stations provide good coverage of the three different environments of the region (Cascades, Valley, and Coastal).

Water

Water quality and quantity are interdependent. Oregon is currently in the worst megadrought on record. Although there have been individual years of wet conditions over the past two decades, on average conditions have been drier than any other 22-year period in the past thousand years. Drought conditions impact water supplies, streamflow, agriculture productivity, wildfire danger, and ecosystem health.¹⁵ For past, current and future drought conditions, please visit https://www.drought.gov/states/oregon.

Water quality is another factor that impacts health. Water quality varies greatly across geography, and even from source to source. The larger community drinking water systems in the three counties test regularly for many contaminants. Average water contaminant levels usually test below the EPA standards for the four listed contaminants in the three counties (Table 3-4). However, contaminant levels can vary widely, and there are no surveillance systems that monitor individual water sources such as private wells.

Arsenic is a known carcinogen, and there is no safe level of arsenic in drinking water. The EPA has set a standard of 10 μ g/L in drinking water, but has a goal of 0 μ g/L.

Nitrates can occur naturally in groundwater, but human sources such as fertilizer are the major source of high concentrations of nitrates. Nitrates can interfere with the blood's ability to carry oxygen, which can be a major risk for bottle-fed babies under six months old. The EPA standard for nitrates is 10 mg/L.

Haloacetic acids (HAA) and Trihalomethanes (TTHM) occur when chlorine used to disinfect water interacts with other naturally occurring chemicals in the water. There is some evidence that HAA5 (the 5 major compounds) and TTHMs can increase the risk of certain cancers or other diseases. The EPA regulatory standard is $60 \,\mu\text{g/L}$ in drinking water for HAA5 and $80 \,\mu\text{g/L}$ for TTHM. ¹⁶

Table 3-4: Contaminants levels above federal standards in community public water systems, by contaminant and location

Contaminant & Regulatory Standard	Year	Benton	Lincoln	Linn
	2020	0	0	0
Arsenic (10 μg/L)	2019	0	0	0
	2018	0	0	0
	2020	0	0	0
Nitrate (10 mg/L)	2019	0	0	0
	2018	0	0	0
	2020	0	0	0
HAA5 (60 μg/L)	2019	0	0	0
	2018	0	0	0
	2020	1	0	0
TTHMs (80 μg/L)	2019	1	2	0
	2018	0	0	0

Note: Systems don't test every year.

Data source: Oregon Environmental Public Health Tracking

Time period: 2018-2020

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/CommunityWaterSystem 16680312416720/MapVisualization

Water fluoridation is a low cost and effective way of improving the oral health of populations. It protects every user of the water system against cavities, making it an important tool in improving health equity. Only 22% of Oregonians drink fluoridated water, compared to more than 50% of the total United States population. This is well below the Healthy People 2020 goal of 80%.

Table 3-5: Cities with fluoridated community public water systems by county

County	Cities
Benton	Adair Village, Corvallis, North Albany, and Philomath
Lincoln	No fluoridated public water systems in Lincoln County
Linn	Albany, Lebanon, and Sweet Home

Data source: Centers for Disease Control and Prevention (CDC)

Time period: website referenced January 2023

For more information: https://nccd.cdc.gov/DOH MWF/Default/Default.aspx


Solid Waste

Solid waste collection, recovery, disposal, and landfills are regulated to help protect our environment and public health. Reducing and recovering waste is important because each step in a product's life cycle takes raw materials, time, and energy (see the materials life cycle in Figure 3-2 below).

In Oregon we recover about 40% of the waste we generate, mostly through local recycling and composting efforts. Local manufacturers, governments and haulers are redesigning processes and systems. By 2024 we should see major headlines on improvements, thanks to Oregon's Recycling Modernization Act.¹⁷

Reducing food waste and plastic waste are two priorities due to their environmental impacts. Food production generates greenhouse gases, as does disposal in landfills. Plastic products break down in the environment into microplastics. These microplastics can end up in our food, water, air and lungs. We can each do our part to reduce waste and pollution by buying less stuff, especially hazardous/toxic products. We can buy local products, look for packaging that is locally recyclable, and properly recycle and dispose of waste.

Figure 3-2: The materials life cycle



Source: Oregon Department of Environmental Quality

For more information: https://www.oregon.gov/deq/FilterDocs/2017mrwgrates.pdf

Hazardous Waste

Household and other hazardous wastes are collected and handled separately to protect environmental and public health. Household hazardous wastes include pesticides, herbicides, poisons, solvents, fuels, paints, motor oil, antifreeze, and mercury-containing wastes.

The Toxics Release Inventory (TRI)¹⁹ includes certain toxic chemicals that may pose a threat to human health and the environment. Certain industrial facilities must report annually how much of each chemical is recycled, combusted for energy recovery, treated for destruction, and disposed of or otherwise released on- and off-site. In 2020, there were 287 of these facilities in Oregon including the following in the LBL region:

- One facility in Lincoln County that released on-site methanol, hydrogen sulfide, ammonia, nitrate compounds, acetaldehyde, and other chemicals.
- Four facilities in Benton County that released on-site barium compounds and zinc compounds.
- Seventeen facilities in Linn County that released on-site methanol, ammonia, nitrate compounds, manganese compounds, hydrochloric acid, acetaldehyde, and other chemicals.

Most of the facilities' on-site releases in Linn and Lincoln counties were to the air, consistent with Oregon. Benton County facilities released about 2,100 pounds on-site in 2020. This doesn't show up on the chart below because it's so much smaller than the approximately 966,000 pounds released on-site

by the facility in Lincoln County, and over 1.5 million pounds released on-site by facilities in Linn County, in 2020.

The Environmental Protection Agency and Oregon Department of Environmental Quality work with facilities on reducing waste and safer waste management by recycling, recovering energy from, and treating chemicals.^{20, 21}




Figure 3-3: Pounds of chemicals released from industrial facilities in toxic release inventory

Data source: United States Environmental Protection Agency Toxic Release Inventory

Time period: 2020 For more information:

 $https://enviro.epa.gov/triexplorer/tri_factsheet.factsheet_forstate?pstate=OR\&pyear=2020\&pParent=TRI\&pDataSet=TRIQ1$

Neighborhood Environments

People need safe and healthy places to live, learn, work, play, and pray.²² They need access to quality and affordable food, housing and transportation options, as well as the confidence that their local communities have not been contaminated with human-made pollutants.²³

Populations including minoritized racial and ethnic groups, people experiencing poverty, people with disabilities, and people who experience language barriers are more likely to depend on public transit. However, they are more likely to live in areas with poor transit service, unsafe transportation conditions, fewer destinations, and poor connectivity. These burdens increase transportation costs and stress, and limit access to economic and educational opportunities, housing, healthy foods, and physical activity.

Transportation

Active transportation such as walking and biking increase physical activity, which has positive effects on overall health. Public transportation also involves active travel when walking or biking to and from stops or stations. 17.5% of Benton County's workforce used active transportation to and from work whereas 5.4% and 2.8% of Lincoln and Linn counties' workforce used active transportation respectively. There is a strong correlation between access to public transportation and using active transportation (which includes public transportation, cycling, and walking) to commute to work. Among Oregon counties with public transit systems, an increase of five percent of the population within one quarter mile of a bus station is associated with a one percent increase in the percent of the working population that commutes by active transportation.²⁴ This trend is reflected in regional statistics as well.

In comparison to Lincoln and Linn counties, Benton County community members have greater access to public transportation. This is due to the population concentration in Corvallis, which has the fareless Corvallis Transit System (CST). This provides a safe and reliable bus service to Corvallis community members. Benton County Dial-a-Bus provides transportation for seniors over 60 years of age and persons with disabilities who are unable to use public transit. Benton Area Transit provides the free 99 Express commuter bus services between Adair Village and Corvallis Monday through Friday.

Lincoln County's public transportation includes Lincoln City and Newport City Loops; north, south and east connecting routes; and Dial-a-Ride service. ^{25, 26} Linn County's public transportation includes Albany transit, which operates three fixed routes within the city of Albany; Linn-Benton Loop, which connects Albany and Corvallis; and Linn Shuttle, which provides public transportation service to East Linn County residents. There are additional transportation services available in Linn County by request or prior reservation.

The Coast to Valley Express is a regional bus service provided through a partnership between Benton Area Transit and Lincoln County Transit. This service provides four roundtrips everyday between Albany, Corvallis, and Newport.

Cascades West RideLine provides transportation services for eligible Oregon Health Plan (OHP) or Medicaid clients traveling to and from covered non-emergency medical services. Transportation is provided to those OHP eligible clients living in Linn, Benton, and Lincoln counties who have no other way to get to their medical Services.

Table 3-6: Percent of workforce 16 years and older by means of transportation to work and location

Transportation Type	Benton	Lincoln	Linn
Carpooled	7.4%	11.7%	10.2%
Drove alone	64.5%	73.0%	79.7%
Public transportation (excluding taxicab)	2.2%	0.6%	0.1%
Walked	7.9%	4.4%	1.9%
Biked	7.4%	0.4%	0.6%
Worked from home	9.4%	8.8%	6.2%

Data source: National Environmental Public Health Tracking Network

Time period: 2016-2020

For more information: https://ephtracking.cdc.gov/

Food Access

Transportation options and limited public transportation for residents contributes to challenges in the region with regard to nutritious food access. For households without private vehicles, the ability to shop for food at grocery stores is highly dependent on proximity.

In all three counties, people are more likely to live within a half mile of a tobacco vendor than of a grocery store (Figure 3-4). Benton County community members have the greatest access to grocery stores as measured by proximity. This is due in part to the concentration of Benton County's population in one city (Corvallis), which has many grocery stores. In comparison, Linn and Lincoln counties' populations are more spread out among smaller communities, not all of which have full grocery stores with access to affordable and nutritious food.

All three counties belonging to the LBL region have farmers markets, which provide access to locally grown, nutritious foods. Benton County farmers markets include locations in Corvallis, Philomath, and North Albany. Lincoln County farmers markets include locations in Lincoln City, Newport, Toledo, Waldport, Yachats, and Siletz. Linn County has farmers markets in Albany, Lebanon, Brownsville, and Sweet Home. While these markets provide increased access to fresh and nutritious food, most only operate a single day a week during the spring and summer months. The outdoor Corvallis Market is open two days per week and operates an indoor market during the winter months.




Figure 3-4: Percent of people who live within half a mile of specific store types by location

Data source: Oregon Public Health Assessment Tool

Time period: 2019

For more information: Contact Benton County Health Department

Housing

The age of a house can predict many other factors that affect the health of the occupants, including exposure to lead, asbestos, or other hazardous materials, mold or pest infestations, and weather resistance and temperature stability.

For additional housing data, see Chapter 4: Social Determinants of Health.




Figure 3-5: Percent of homes built by year and location

Data source: United States Census Bureau, America Community Survey, Table B25034

Time period: 2016-2020

Parks and Recreation

Research demonstrates a strong relationship between access to green outdoor spaces and physical activity and mental health and wellbeing among adults and children. Studies have shown that proximity to places with recreational opportunities is associated with higher physical activity and lower obesity levels.²⁷ Public recreation areas include parks, schools, public forests and trails, beaches, and waterfronts.

Publicly owned land is land managed by either federal, state, or local governments and is protected for natural resources, open spaces, and recreational areas. In 2019, 39.7% of Linn County's land was publicly held, 29.2% of Lincoln County's land was publicly held, and 26.4% of Benton County's land was publicly held.²⁸

Both Benton and Lincoln counties have greater access to exercise opportunities than does the state of Oregon (Figure 3-6). Access to exercise opportunities is measured as census blocks where the border is a half mile or less from a park or 1 mile or less from a recreational facility in urban census blocks and 3 miles or less in rural census blocks.

Benton County has a plethora of outdoor recreational opportunities available county residents and visitors. The City of Corvallis Parks and Recreation Department manages 2,000 acres of parks, playgrounds, playing fields, trails, open spaces and beautification areas. Overall, there are 20 miles of trails in city natural areas and parks. The department has set a standard of 0.54 miles of trail per 100,000 people; it currently has 0.36 miles per 100,000 people, a deficit of 10 miles of trail. Benton County Natural Areas, Parks & Events (NAPE) works with private landowners, City of Corvallis Parks and Recreation, City of Philomath, Siuslaw National Forest, Oregon State University (OSU) Research Forests, Greenbelt Landtrust, Crestmont Landtrust, and others to offer a trail system that provides health and recreation benefits to the community. NAPE also manages over 1,400 acres of natural areas, open spaces, and parks, including forests, wetlands, boat landings, historic sites, and a campground.

Lincoln County has many public beaches and parks that provide free and low-cost places for the county's residents and many tourists to gather, hike, camp, fish, and more. The Lincoln County Parks department maintains 13 parks, which include campgrounds and waysides. Lincoln County's three recreation centers help advance community health and wellbeing through safe and accessible services, programs, and facilities for children, seniors, and families. Lincoln County benefits from the status of Oregon beaches, which are considered public parks and are open to all.

Linn County is home to 30 parks dotted throughout the heart of the Willamette Valley. Activities in these parks include camping, hiking, swimming, fishing and more. The non-profit organization Build Lebanon Trails is expanding trail access within the county, with the goal of building more than 50 miles of trail systems in the town of Lebanon.




Figure 3-6: Percent of population with access to exercise opportunities* by location

*Access to exercise opportunities is measured as census blocks where the border is a half mile or less from a park or 1 mile or less from a recreational facility in urban census blocks and 3 miles or less in rural census blocks.

Data source: County Health Rankings

Time period: 2022

For more information: https://www.countyhealthrankings.org/explore-health-rankings/county-health-rankings-model/health-factors/health-behaviors/diet-and-exercise/access-to-exercise-opportunities

4 Social Determinants of Health

Social determinants of health (SDOH) are the non-medical factors found in an individual's environment that predict health outcomes and influence health inequities. The World Health Organization defines the social determinants of health as the "conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life." When conducting and implementing public health work, it is essential that programs and policies prioritize improving the root causes of poor health. Without properly addressing these upstream factors, interventions will be unsuccessful at improving population health outcomes and reducing inequities. Chapter 2: Who We Are and Chapter 3: Environmental Health already introduced information on neighborhood and built environment as well as social and community context. In this chapter, additional data will be presented for three domains of social determinants of health: economic stability, education access and quality, and neighborhood and built environment in the context of Benton, Linn, and Lincoln counties. The other two domains, health care access and social and community context, will be addressed in other chapters.



Figure 4-1: Centers for Disease Control and Prevention (CDC) graphic on social determinants of health

For more information: https://www.cdc.gov/publichealthgateway/sdoh/index.html

Economic Stability

Financial stability impacts multiple facets of an individual's health and behaviors. Access to a high steady income allows people to purchase healthy foods and services, live in safe neighborhoods with better schools, and have greater access to healthcare resources. The overall median household income for Oregon between 2016-2020 was \$65,667; the median household income for Benton, Lincoln, and Linn counties during the same time period was \$65,142, \$50,775, and \$59,547 respectively.³⁰

Despite Benton County having a high median household income, the income inequality ratio for the county was the largest in the state of Oregon in years 2016-2020. The larger the income inequality ratio, the more unevenly income is distributed within a population. This is associated with loss of social connectedness, and decreases in trust and sense of community, which can have broad health impacts including increased risk of mortality.³¹ The ratio of income at the 80th percentile to income at the 20th percentile in Benton County was 5.5, compared to 4.5 for the state of Oregon overall. This means that households with higher incomes had incomes 5.5 times that of households with lower incomes. Benton County's high income inequality is partly driven by both high-salary positions among major employers (Oregon State University, Samaritan Health Services, Hewlett Packard) as well as the large number of students with relatively low incomes. From 2016-2020, over half of 18-24 year old's in Benton County were living in poverty (Table 4-2).

In Oregon, residents identifying as White were less likely to live in poverty. With a few exceptions, this trend is seen in the LBL region as well (Table 4-3). Disability status is also associated with poverty. Approximately 20% of those living with a disability in Linn, Benton, and Lincoln counties were living in poverty in 2016-2020 (Figure 4-2). This is consistent with the state of Oregon as a whole.

Table 4-1: Income inequality by location

Income Variable	Benton	Lincoln	Linn	Oregon
80th percentile of total income range	\$132,226	\$92,921	\$104,041	\$126,927
20th percentile of total income range	\$23,937	\$21,890	\$26,925	\$28,050
Income inequality ratio	5.5	4.2	3.9	4.5

Data source: County Health Rankings

Time period: 2016-2020

For more information: https://www.countyhealthrankings.org/explore-health-rankings

Table 4-2: Percent of age categories living in poverty by location

Age Category	Benton	Lincoln	Linn	Oregon
Under 5 years	14.5%	31.2%	15.5%	16.5%
5 to 11 years	13.6%	23.2%	15.5%	15.2%
12 to 17 years	16.3%	22.1%	11.4%	13.6%
18 to 24 years	51.6%	18.4%	20.1%	24.1%
25 to 34 years	20.3%	17.2%	14.0%	13.2%
35 to 44 years	11.2%	17.2%	11.4%	10.1%
45 to 54 years	7.3%	17.0%	10.6%	9.3%
55 to 64 years	7.4%	17.8%	11.6%	11.0%
65 to 74 years	4.7%	7.2%	7.3%	7.8%
75 years and over	5.9%	7.0%	7.7%	8.5%

Data source: United States Census Bureau, America Community Survey, Table B17001

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Table 4-3: Percent of racial/ethnic groups below poverty level by location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	19.9%	26.7%	12.6%	22.1%
Asian	41.2%	40.6%	13.1%	13.1%
Black or African American	44.9%	26.6%	2.2%	27.4%
Hispanic or Latino	22.6%	19.0%	15.4%	17.8%
Native Hawaiian or Pacific Islander	16.0%	5.6%	10.3%	17.1%
Some other race	30.8%	5.4%	18.0%	16.5%
Two or more races	19.1%	20.9%	14.6%	15.3%
White	15.9%	15.1%	11.9%	11.5%

Data source: United States Census Bureau, America Community Survey, Table S1701

Time period: 2016-2020

25% 21.0% 19.5% 19.5% 19.5% 19.5% 19.6% 19

Figure 4-2: Percent of those with a disability living in poverty by location

Data source: United States Census Bureau, America Community Survey, Table C18130

Lincoln

Time period: 2016-2020

0%

For more information: https://data.census.gov/cedsci/

Benton

Table 4-4: Median household income by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	\$49,167	*	\$42,236	\$48,225
Asian	\$41,667	\$50,337	\$90,787	\$83,125
Black or African American	*	\$23,125	\$58,462	\$44,138
Hispanic or Latino	\$54,375	\$58,695	\$45,281	\$54,797
Native Hawaiian or Pacific Islander	\$155,714	*	*	\$69,547
Some other race	\$36,974	\$61,640	\$45,058	\$55,422
Two or more races	\$73,684	\$40,540	\$58,679	\$57,283
White	\$67,298	\$50,213	\$59,841	\$66,480

Linn

Oregon

Data source: United States Census Bureau, America Community Survey, Table B19013A – B19013I

Time period: 2016-2020

^{*}Unreliable due to small numbers

Education

The LBL region has a diverse distribution of academic resources that result in differences in the educational profiles of the three counties. Benton County, home to Oregon State University (OSU), has a unique social and population demographic as the city of Corvallis is centered about the university. OSU is one of three land, sea, space, and sun grant universities in the United States and offers nearly 200 degree programs. The residents of Benton County are highly educated, with a high proportion of the population having received at least a bachelor's degree (Table 4-5). Both Linn and Lincoln counties have community colleges, however the populations are much less centralized around an academic institution. Oregon Coast Community College, located in Lincoln County, offers associate degree and certificate programs in aquarium science, nursing and allied health, accounting, and welding. Lincoln County is also home to Oregon State University's Hatfield Marine Science Center, a world-class marine laboratory located in Newport. Linn County is home to Linn-Benton Community College's (LBCC) main campus and the campus for Western University of Health Sciences Oregon (Western Oregon). LBCC is one of the largest community colleges in Oregon and offers seven meta majors. Western Oregon offers three graduate programs in the medical field. The majority of Linn and Lincoln County residents have at attended at least some college or received an associate degree (Table 4-5).

On average for years 2019-2022, Linn and Lincoln counties had similar high school graduation rates. Lincoln County's high school graduation rate during the 2020/2021 school year fell far below the Oregon state average, but by the following school year, its graduation rate exceeded that of Oregon. Benton County had a consistently high graduation rate, exceeding the state average for all three school years shown in Figure 4-3.

Table 4-5: Highest educational level achieved among adults age 25 years and over by location

Educational Level	Benton	Lincoln	Linn	Oregon
Less than high school	3.8%	7.7%	10.1%	8.9%
High school graduate	13.7%	24.9%	29.2%	22.7%
Some college or associate degree	29.2%	39.6%	41.1%	34.1%
Bachelor's degree	29.2%	17.2%	12.9%	21.3%
Graduate or professional degree	24.0%	10.5%	6.6%	13.1%

Data source: United States Census Bureau, America Community Survey, Table S1501

Time period: 2016-2020

100 87.7 86.4 86.3 83.2 90 Graduation rate per 100 students 82.6 80.6 81.3 79.9 76.8 80 71.9 70 60 50 40 30 20 10 2019-20 2020-21 2021-22 School year

Figure 4-3: High School graduation rate per 100 students by school year and location

Data source: Oregon Department of Education, Cohort Graduation Rate

Time period: school year 2020-2021

For more information: https://www.oregon.gov/ode/reports-and-data/students/Pages/Cohort-Graduation-

Rate.aspx

Table 4-6: Percent of high school students that graduate on time by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	*	80%	65.8%	68.9%
Asian	>95%	*	83.3%	92.1%
Black or African American	*	*	63.2%	73.7%
Hispanic or Latino	81.0%	82.6%	76.5%	78.7%
Native Hawaiian or Pacific Islander	*	*	*	74.6%
Multi-Racial	86.8%	92.7%	71.2%	79.7%
White	82.9%	87.9%	74.6%	82.5%

^{*}Unreliable due to small numbers

Data source: Oregon Department of Education, Cohort Graduation Rate

Time period: 2021-2022

For more information: https://www.oregon.gov/ode/reports-and-data/students/Pages/Cohort-Graduation-

Rate.aspx

Food Insecurity

Access to healthy affordable food is an important predictor of health status. As the environmental effects of climate change become more severe in the future, public health practitioners are increasingly worried about production, higher prices, and obstacles in the global distribution of food. In the United States there are two primary federally funded health and nutrition programs. The Women, Infants, and Children Program (WIC) is a supplemental nutritional program that provides healthy foods to pregnant, breastfeeding gestational parents, infants, and children to promote optimal childhood development.³² The Supplemental Nutrition Assistant Program (SNAP) provides access to healthy food for low-income families.³³ Linn and Lincoln counties had higher utilization of SNAP and WIC benefits compared to Benton County in 2020. Only about 10% of households in Benton County received SNAP benefits compared to 20.6% of households in Lincoln County and 18.6% of households in Linn County. Families with children under the age of 18 and/or with a disabled family member commonly utilize SNAP benefits across the LBL region (Table 4-9).

Food insecurity is a lack of consistent access to enough food for every person in a household to live an active, healthy life.³⁴ Estimates of food insecurity in the three counties making up the LBL region have remained fairly consistent from years 2018-2020. Based on these estimates, Lincoln County experienced the greatest food insecurity in the LBL region, followed by Linn County. All three counties have access to emergency food support thanks to community-based organizations operating in the LBL region.

Table 4-7: Use of WIC benefits by location

WIC Variables	Benton	Lincoln	Linn	Oregon
WIC participants	1,541	1,493	4,160	110,890
Families served by WIC	875	856	2,241	64,450
Percent of all pregnant women served by WIC	24%	41%	30%	27%

Data source: Oregon Health Authority, WIC Data Sheets

Time period: 2021

For more information: https://www.oregon.gov/oha/PH/HEALTHYPEOPLEFAMILIES/WIC/Pages/annual.aspx

Table 4-8: Use of SNAP benefits by location

SNAP Variables	Benton	Lincoln	Linn	Oregon
Percent of all households that use SNAP benefits	10.1%	20.6%	18.6%	15.0%
Percent of households with children under the age of 18 that use SNAP benefits	37.5%	29.5%	43.7%	40.8%
Percent of households with one or more people with a disability that use SNAP benefits	48.9%	58.5%	53.0%	49.9%

Data Source: United States Census Bureau, America Community Survey, Table S2201

Time period: 2016-2020




Figure 4-4: Estimated percent of population experiencing food insecurity by year and location

Data source: Feeding America, Map the Meal Gap

Time period: 2018-2020

6% 4% 2% 0%

For more information: https://map.feedingamerica.org/

2018




Figure 4-5: Estimated percent of children under age 18 experiencing food insecurity by year and location

2019

2020

 $\label{eq:Data Source: Feeding America, Map the Meal Gap} \label{eq:Data Source: Feeding America, Map the Meal Gap}$

Time period: 2018-2020

For more information: https://map.feedingamerica.org/

Emergency Food Support

The Linn Benton Food Share operates five meal sites in Linn County and three meal sites in Benton County. They also operate 11 food pantries in Linn County and nine food pantries in Benton County where emergency food boxes are provided to anyone at or below 300% of the federal poverty level. During the 2020-2021 fiscal year, the Linn Benton Food Share distributed 4.4 million pounds of food and provided 330,537 emergency meals to the Linn and Benton County communities.³⁵

Food Share of Lincoln County provides similar resources to the Lincoln County community. Food Share of Lincoln County operates four hot meal sites and eight food pantries across Lincoln County. In 2021, Food Share's network of agencies distributed 894,697 pounds of food (equating 3,578,788 meals). This same year, 33,870 individuals representing approximately 14,143 families received emergency and/or supplemental food from Food Share of Lincoln County.³⁶

Housing

Access to safe, quality, and affordable housing is a core necessity for healthy living. Lincoln County had the highest percentage of home ownership in the LBL region, closely followed by Linn County. Despite 66% of homes being occupied by the owner, Lincoln County homeowners spent a large percent of their income on housing costs, including mortgage, insurance, and utilities. Renters in Benton County spent the largest proportion of household income on rent, with 54.1% of households spending more than 30% and 32.7% of households spending more than 50% of their total income on rent. Comparatively, homeowners in Benton County were the least burdened by housing costs in the LBL region (Figure 4-6 and 4-7).

Across the LBL region, between 31% and 42% of unhoused persons had a disabling condition and experienced homelessness for a year or more, defined as chronic homelessness (Table 4-11). Chronic homelessness is especially high amongst veterans in the LBL region. In Oregon, coastal communities have large concentrations of children living on their own and experiencing homelessness.³⁷ This is consistent with regional findings, which show that Lincoln County had a disproportionately high percentage of K-12 students experiencing homelessness during the 2019-2020 school year (Figure 4-8).

Table 4-9: Percent of population by home ownership status and location

Ownership Status	Benton	Lincoln	Linn	Oregon
Owner occupied	56.8%	69.0%	66.4%	62.8%
Renter occupied	43.2%	31.0%	33.6%	37.2%

Data source: United States Census Bureau, America Community Survey, Table DP04

Time period: 2016-2020




Figure 4-6: Percent of households experiencing housing burden by ownership status and location

Note: Housing burden is defined as paying more than 30% of household income on rent, mortgage, and utilities.

Data Source: United States Census Bureau, America Community Survey, Tables B2507s & B25091

Time period: 2020

For more information: https://data.census.gov/cedsci/




Figure 4-7: Percent of households experiencing extreme housing burden by ownership status and location

Note: Extreme housing burden is defined as paying more than 50% of household income on rent, mortgage, and utilities.

Data source: United States Census Bureau, America Community Survey, Table B25070, B25091

Time period: 2020

Table 4-10: Demographics of the populations experiencing chronic homelessness by location

Demographic	Benton	Lincoln	Linn	Oregon
Percent of unhoused persons experiencing chronic homelessness	31%	35%	42%	31%
Percent of Veterans who experience chronic homelessness	65%	67%	52%	43%

Note: Chronic homelessness is used to describe people who have experienced homelessness for at least a year — or repeatedly — while struggling with a disabling condition such as a serious mental illness, substance use disorder, or physical disability.


Data source: Point-in-Time Homeless Count

Time period: 2019 For more information:

https://public.tableau.com/app/profile/oregon.housing.and.community.services/viz/2019Point-in-

TimeDashboard/Story1

Figure 4-8: Percent of students enrolled in K-12 experiencing homelessness



Data source: Oregon Department of Education, K-12 District Totals and Percent of Enrollment

Time period: 2019-2020

For more information: https://www.oregon.gov/ode/schools-and-districts/grants/esea/mckinney-

vento/pages/default.aspx

Table 4-11: Percent of the homeless population by race and location

Race	Benton	Lincoln	Linn	Oregon
Asian	1%	0%	0%	4%
Black / African American	3%	1%	3%	2%
Native American	4%	7%	2%	1%
Native Hawaiian / Pacific Islander	1%	0%	1%	0.4%
Two or more races	7%	7%	6%	5%
White	83%	85%	85%	85%

Data source: Point-in-Time Homeless Count

Time period: 2019 For more information:

https://public.tableau.com/app/profile/oregon.housing.and.community.services/viz/2019Point-in-

TimeDashboard/Story1

5 Access to Health Services

Being able to access high-quality health care when needed is important for everyone. However, access to affordable quality healthcare remains a systemic issue across the country. Gaps in care access have been attributed to costs, rurality, provider shortages, and a lack of trust in the medical community.

In the LBL region, Samaritan Health Services is the largest provider of healthcare services. Samaritan operates five hospitals (two acute care hospitals, in Corvallis and Albany, and three critical access hospitals, in Lebanon, Lincoln City, and Newport) and 80 outpatient clinics spread throughout Benton, Lincoln and Linn counties. The Community Health Centers of Benton & Linn Counties operate four Federally Qualified Health Centers (Alsea, Corvallis, Lebanon, and Sweet Home) and two school-based health clinics (Corvallis and Monroe) throughout the region. The Lincoln Community Health Center operates three Federally Qualified Health Centers (Newport, Lincoln City, and Waldport) and four school-based health clinics (Newport, Taft, Toledo, and Waldport).

The healthcare industry in the United States is undergoing substantial changes. Emerging issues related to access to health services include the rise of telemedicine; policy changes related to abortion; and gender-affirming care for transgender individuals.

Telemedicine presents the opportunity to provide convenient cost-effective care to all populations, minimizing existing barriers to accessible healthcare. Since the start of the COVID-19 pandemic, the occurrence of telemedicine encounters has drastically increased. However, recent studies have documented inequalities in telemedicine utilization based on race and ethnicity, household income, and age.³⁸ Future usage of telemedicine will require direct attention towards this issue to prevent worsening disparities from occurring.

On June 24, 2022, the United States Supreme Court announced its decision to overturn Roe v. Wade severely limiting abortion access in the United States. Shortly after the announcement, Oregon leadership declared that they would be participating in a pact with Washington and California to protect abortion and contraceptive access. In 2020, Oregon providers performed approximately 7,000 elective abortions, of which 4% were performed for gestational parents residing in the LBL region.³⁹ As abortion access in other regions of the country becomes severely limited, it is expected that there will be an increased demand among out of state residents seeking abortion care in Oregon. Subsequently, availability of reproductive services will need to increase to continually provide timely access to care for all gestational people seeking treatment.

Identification as transgender or gender nonconformity has become increasingly prevalent in younger generations. In Oregon, 1.2% of adolescents between 13 and 17 years of age identify as transgender. In comparison, only 0.6% of adults identified as transgender. In the United States, an estimated 1.6 million people identify as transgender with over a quarter of the transgender population residing in the Western region of the country. ⁴⁰ Literature has shown an extensive history of health disparities and barriers to care among transgender populations. As transgender youth grow and become more active healthcare consumers it is essential that adequate infrastructure is established to readily provide necessary care.

Locally, an issue related to access to care is increasing the primary care provider workforce. Samaritan Health Services created a new residency track for rural health (based in Newport) in 2022 as part of the

ACGME-accredited family medicine residency program based in Corvallis. This track offers two positions each year to enter the three-year program.

Insurance Coverage

Health insurance helps to guarantee a person can afford medical care in case of an emergency or when seeking preventative medicine. Between the three major types of health insurance (private insurance providers, Medicaid, and Medicare), 90% of the population residing in the LBL region has health insurance (Figure 5-1). LBL residents between the ages of 26 and 34 years of age had the lowest rates of insurance coverage (Table 5-1). This gap in coverage can be partially attributed to a stipulation in the Affordable Care Act (ACA), which only requires insurance providers to cover dependents until the age of 26. In the LBL region, Native Hawaiian/Pacific Islanders had the highest rates of insurance coverage (Table 5-2). Although insurance helps to reduce the financial burden of healthcare, the out-of-pocket cost of medical services is still a common issue reported by Americans.




Figure 5-1: Percent of the population without health insurance by location

Data source: United States Census Bureau, America Community Survey, Table S2701

Time period: 2016-2020

Table 5-1: Percent of the population with health insurance coverage by age group and location

Age	Benton	Lincoln	Linn	Oregon
Under 6 years	98.4%	95.7%	91.5%	97.2%
6 to 18 years	95.9%	95.8%	93.3%	96.2%
19 to 25 years	93.2%	80.4%	87.6%	89.3%
26 to 34 years	88.7%	78.3%	87.8%	87.8%
35 to 44 years	93.0%	81.0%	88.9%	89.9%
45 to 54 years	93.1%	83.5%	93.3%	91.6%
55 to 64 years	96.0%	91.6%	93.1%	93.4%
65 to 74 years	99.3%	99.4%	99.1%	99.3%
75 years and older	100.0%	100.0%	99.5%	99.6%

Data source: United States Census Bureau, America Community Survey, Table S2701

Time period: 2016-2020

For more information: https://data.census.gov/cedsci/

Table 5-2: Percent of the population with health insurance coverage by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native alone	64.1%	87.2%	93.9%	87.7%
Asian alone	92.8%	87.2%	96.8%	94.9%
Black or African American alone	83.9%	89.9%	100.0%	93.0%
Hispanic or Latino ethnicity (of any race)	84.9%	81.2%	86.3%	84.9%
Native Hawaiian or Pacific Islander alone	100.0%	100.0%	100.0%	88.9%
Some other race alone	78.6%	84.1%	85.5%	83.2%
Two or more races	94.4%	94.4%	92.2%	91.9%
White alone	95.6%	91.0%	92.8%	93.9%

Data source: United States Census Bureau, America Community Survey, Table S2701

Time period: 2016-2020

Table 5-3: Percent of the population with health insurance coverage by income level and location

Income	Benton	Lincoln	Linn	Oregon
Under \$25,000	89.6%	90.4%	89.3%	91.0%
\$25,000 to \$49,999	93.5%	91.8%	89.3%	90.2%
\$50,000 to \$74,999	95.0%	87.6%	90.8%	91.5%
\$75,000 to \$99,999	92.7%	88.5%	95.6%	93.8%
\$100,000 or more	97.2%	94.7%	96.5%	96.3%

Data source: United States Census Bureau, America Community Survey, Table B27015

Time period: 2016-2020

For more information: https://data.census.gov/table?q=B27015&g=0500000US41003,41041,41043

Provider Availability

An adequate healthcare workforce is necessary for increasing access to care, improving patient experiences, and controlling service costs. The Association of American Medical Colleges has documented a growing concern in physician shortages due to an aging workforce, growing medical demands of served populations, and a limited number of new physicians being trained. The COVID-19 pandemic has exacerbated the already dwindling number of physicians and has led to critical shortages in healthcare providers of all levels. It is anticipated that by 2034, an extra 37,800-124,000 physicians will be needed to adequately supply the American population with healthcare.

Oregon's rural and frontier areas tend to have less access to healthcare providers and face greater barriers to accessing healthcare services. ⁴³ Benton County has the greatest access to both primary care and behavioral health professionals. Despite making up only 35% of the LBL regional population, Benton County contains over 50% of all primary care physicians in the area. In contrast, Linn County residents make up 47% of the regional population but only 36% of the region's primary care physicians serve the area. Both Linn and Lincoln counties have fewer primary care professionals per 10,000 people than the state of Oregon (Figure 5-2). There is some overlap between the categorization of primary care and behavioral health professionals. Amongst the counties making up the LBL region, access to primary care and behavioral health providers follow similar trends, with Linn County having the least access per 10,000 people, followed by Lincoln County.

The terms 'mental health' and 'behavioral health' are at times used interchangeably, but while closely related, they do differ. Behavioral health describes the connection between a person's behaviors and the health and wellbeing of the body and mind,⁴⁴ while mental health refers only to one's emotional, psychological and social wellbeing.⁴⁵ There is some overlap between the categorization of mental health professionals and behavioral health professionals. In the LBL region, mental health providers were primarily located within city limits (Table 5-4). The city of Newport, located within Lincoln County, had the most mental health providers per 10,000 residents, although the county as a whole ranks below Benton County for access to mental health providers.

All three of the counties making up the LBL region had fewer dentists per 10,000 people than did the state of Oregon in 2020. Of the three counties, Lincoln has the greatest access to oral health providers, followed closely by Benton (Figure 5-4).




Figure 5-2. Primary care professionals per 10,000 people by location

Data source: Oregon's Health Care Workforce Reporting Program

Time period: 2020

For more information: https://www.oregon.gov/oha/HPA/ANALYTICS/HealthCareWorkforceReporting/2021-Workforce-Supply-for-web.pdf




Figure 5-3: Behavioral health professionals per 10,000 people by location

Data source: Oregon's Health Care Workforce Reporting Program

Time period: 2020

For more information: https://www.oregon.gov/oha/HPA/ANALYTICS/HealthCareWorkforceReporting/2021-Workforce-Supply-for-web.pdf

Table 5-4: Number of mental health professionals per 10,000 people by location

City	County	Mental Health Professionals per 10,000 people
Corvallis/Philomath	Benton	16.8
Monroe	Benton	0
Alsea	Benton	0
Newport	Lincoln	22.7
Lincoln City	Lincoln	9.7
Siletz	Lincoln	4.8
Waldport	Lincoln	3.5
Yachats	Lincoln	3.3
Toledo	Lincoln	2.8
Lebanon	Linn	3.0
Harrisburg	Linn	1.5
Sweet Home	Linn	1.0
Mill City/Gates	Linn	0.1
Brownsville	Linn	0
Scio	Linn	0
Albany	Linn/Benton	7.9
Oregon		12.5

Data source: Oregon Areas of Unmet Health Care Need Report

Time period: 2021

For more information: https://www.ohsu.edu/sites/default/files/2021-

09/2021%20 A reas%20 of%20 Unmet%20 Health%20 Care%20 Needs%20 Report%202.pdf




Figure 5-4: Number of oral health professionals per 10,000 people by location

Data source: Oregon's Health Care Workforce Reporting Program

Time period: 2020

For more information: https://www.oregon.gov/oha/HPA/ANALYTICS/HealthCareWorkforceReporting/2021-


Workforce-Supply-for-web.pdf

Preventive Services

The prevalence of chronic disease in the United States is an increasing concern among the medical community. Current statistics show that six out of every ten Americans will develop a chronic disease in their lifetime. He with the growing concern of chronic disease, medicine has shifted to focus on prevention. Screenings can identify the early warning signs of disease leading to improved prognosis and longer life expectancy. Current screening guidelines developed by American Heart Association recommend cholesterol screenings every 4-6 years beginning at age 20.47 The United States Preventative Services Task Force recommends that women who are 50 to 74 years old and are at average risk for breast cancer get a mammogram every two years. Although the percent of adults who follow screening guidelines varies by test, overall, Benton County residents were the most likely to follow screening guidelines in the region closely followed by Linn County. In addition to laboratory screenings, guidelines recommend routine annual exams with medical providers and annual prophylaxis dental cleanings to help prevent disease. Linn County had the highest percent of adults with a preventative doctor visit in the LBL region, and Benton County had the highest percent of adults who visited a dentist in the previous year.

Much of the data in this section comes from the CDC's PLACES estimates based on the Behavioral Risk Factor Surveillance System (BRFSS). PLACES is a small area estimation approach that produces county-level results based on statistical modeling of all available survey responses. For more information on PLACES methodology, see https://www.cdc.gov/places/methodology/index.html.

Figure 5-5: Age-adjusted percent of adults who received cholesterol screening within the past five years by location



*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 5-6: Age-adjusted percent of women ages 50-74 who received a mammogram within the past two years by location



*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 5-7: Age-adjusted percent of adults who visited a doctor for a routine check-up within the past year by location



*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 5-8: Age-adjusted percent of adults who visited the dentist within the past year by location



*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.

Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Oregon Health Plan (Medicaid): InterCommunity Health Network Coordinated Care Organization (IHN-CCO)

The Oregon Health Plan (OHP) is Oregon's Medicaid program. The Oregon Health Authority established a network of Coordinated Care Organizations (CCOs) as Medicaid managed care organizations to coordinate services for people covered by the Oregon Health Plan. InterCommunity Health Network Coordinated Care Organization (IHN-CCO), established in 2012, is responsible for managing care for OHP members in the LBL region. The Medicaid population in Oregon, like the rest of the country, is primarily low-income. Studies have found that Medicaid recipients face greater barriers to care and generally have worse health status than people with commercial insurance.^{49, 50}

CCOs participate in an annual Consumer Assessment of Healthcare Providers Survey (CAHPS) to measure accessibility of healthcare services. Table 5-5 includes results for IHN-CCO members surveyed in 2021. Most surveyed IHN enrollees reported having adequate access to necessary health services in a timely manner, though perceived access to specialized therapy and medical equipment was lower.

People covered by Medicaid have been shown to have greater emergency department utilization than persons insured through a private provider.⁵¹ In 2021, approximately 23% of all IHN-CCO members visited an emergency department at least once (Figure 5-10).


Table 5-5: IHN-CCO Consumer Assessment of Healthcare Providers survey results

	Never	Sometimes	Usually	Always
How often did you get an appointment for a check-up or routine care as soon as you needed?	3.3%	16.8%	26.6%	53.2%
How often was it easy to get the care, tests, or treatment you needed?	2.2%	13.8%	32.8%	51.2%
How often did you get an appointment with a specialist as soon as you needed?	5.5%	15.6%	30.6%	48.2%
How often was it easy to get the special therapy you needed through your health plan?	13.7%	14.8%	26.2%	45.3%
How often was it easy to get the medical equipment you needed through your health plan?	18.5%	16.4%	20.8%	44.3%

Data source: InterCommunity Health Network CCO 2021 Consumer Assessment of Healthcare Providers Survey Time period: 2021

For more information:

https://www.oregon.gov/oha/HPA/ANALYTICS/CAHPS%20 documents/InterCommunity%20 Health%20 Network%202020%20 (Adult).pdf



■ 18 and older = Under 18

Figure 5-9: Percent of IHN-CCO members with a dental claim in the past year by age category and location

Data source: IHN-CCO claims data


Time period: 2021

For more information: email SHSresearch@samhealth.org

Figure 5-10: Percent of IHN-CCO members with at least one visit to an emergency department in the past year by location

30%

25.2%



Data source: IHN-CCO claims data

Time period: 2021

For more information: email SHSresearch@samhealth.org




Figure 5-11: Percent of IHN-CCO members with five or more visits to an emergency room in the past year by location

Data source: IHN-CCO claims data

Time period: 2021

For more information: email SHSresearch@samhealth.org

6 Morbidity and Mortality

Traditional measures used to evaluate the health of populations are morbidity (rate of disease) and mortality (deaths). Data on the leading causes of illness and death within a population can equip those seeking to improve the health of communities with information needed to prevent loss of life and improve quality of life. This chapter will present data on leading causes of death and occurrence of chronic and infectious disease with the exclusion of COVID-19 data, which can be found in Chapter 9: COVID-19.

Mortality

Mortality is a measure of the number of deaths in a population. Crude death rate measures the number of deaths in a particular population per 100,000 people and is one way to capture mortality data. In 2020, all three counties making up the LBL region experienced their highest crude death rate since 2017. Lincoln County's crude death rate in 2020 was 1,414 deaths per 100,000 residents, the highest in the LBL region. Both Lincoln and Linn county's death rates exceeded that of the state average from years 2017-2020.

As would be expected, crude death rate increased substantially with age in all counties making up the LBL region. In 2020, men made up the greatest proportion of deaths in Linn County, Lincoln County, and the state of Oregon. Benton County's crude death rate was comparable between genders, with slightly fewer females having died in 2020.

Unfortunately, data on death rates by race/ethnicity were not available at the time of this report's release. The Oregon Health Authority (OHA) has a dashboard with county-specific mortality rates by race/ethnicity, but accurate data was not available when this report was drafted. Mortality data by race/ethnicity should be available at the following link once data has been updated and released by OHA:

https://visualdata.dhsoha.state.or.us/t/OHA/views/CountyDash/CountyDash_cause?%3Adisplay_count =n&%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=viz_share_link&%3AshowAppBann er=false&%3AshowVizHome=

1600 1414.0 1375.9 1359.5 1400 1236.3 1179.1 Deaths per 100,000 people 1200 1065.2 1039.2 942.5 1000 884.8 882.8 862.7 800 656.0 652.8 637.3 613.3 600 400 200 0 2020 2017 2018 2019 Benton Lincoln Linn

Figure 6-1: Number of deaths per 100,000 people by year and location (crude death rate)

Data source: OHA Center for Health Statistics

Time period: 2017-2020

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/CountyDash/CountyDash_cause?%3Adisplay_count=n&%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=viz_share_link&%3AshowAppBanner=false&%3AshowVizHome=n

Table 6-1: Number of deaths per 100,000 people by age group and location

Age (years)	Benton	Lincoln	Lincoln Linn	
0-4	*	*	164.9	86.5
5-14	*	*	*	11.8
15-24	*	*	121.3	73.0
25-34	*	221.6	122.2	127.2
35-44	158.7	426.9	244.8	179.5
45-54	279.5	569.6	288.1	381.7
55-64	452.6	953.2	1,167.2	869.0
65-74	1,238.7	2,015.9	2,117.9	1,750.6
75-84	2,976.9	4,034.8	5,006.9	4,389.1
85+	11,326.1	13,572.0	17,032.4	14,121.4

^{*}Unreliable due to small numbers

Data source: Oregon Public Health Assessment Tool

Time period: 2020

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/LeadingCausesDash/LeadingDash1?%3Adisplay_count=n&%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=viz_share_link&%3AshowAppBanner=false&%3AshowVizHome=n

Leading Causes of Death

The leading cause of death in the LBL region is cancer, followed by diseases of the heart and cerebrovascular diseases (Figure 6-3). Nationally, the most common disease of the heart is coronary heart disease, which occurs when arteries supplying blood to the heart narrow or harden from the formation of plaque. Cerebrovascular disease refers to a group of conditions that affect blood flow to the brain. Lack of sufficient blood flow affects brain tissue and may cause a stroke. Coronary heart disease, stroke, and many types of cancer are preventable with lifestyle changes.

The leading causes of death vary slightly across the three counties making up the LBL region. The leading cause of death in both Lincoln and Benton counties is cancer, followed by diseases of the heart. In Linn County, the leading cause of death is diseases of the heart, followed closely by cancer (Table 6-3).




Figure 6-2: Leading causes of death per 100,000 people comparison of Oregon and Linn-Benton-Lincoln Region

Data source: Oregon Public Health Assessment Tool

Time period: 2020

For more information: Contact the Benton County Health Department

Table 6-2: Number of deaths per 100,000 people by leading causes of death and location

Cause of Death	Benton	Lincoln	Linn	Oregon
Malignant neoplasms (cancer)	152.1	356.1	253.7	194.2
Diseases of the heart	138.4	262.9	262.3	172.7
Cerebrovascular diseases	35.9	66.3	94.3	52.4
Accidents (unintentional injuries)	34.9	105.6	72.3	57.8
Alzheimer Disease	34.9	39.3	44.0	47.1
Diabetes mellitus	21.1	72.5	33.0	31.8
Chronic lower respiratory diseases	18.0	76.6	51.1	46.1
Chronic liver disease and cirrhosis	12.7	43.5	22.0	19.5
COVID-19	10.6	29.0	27.5	33.6
Essential hypertension and hypertensive renal disease	10.6	24.8	24.3	15.8
Intentional self-harm (suicide)	9.5	29.0	17.3	19.6

Data source: OHA Center for Health Statistics

Time period: 2020

For more information: https://visual-data.dhsoha.state.or.us/t/OHA/views/CountyDash/CountyDash_cause

Tobacco-Related Mortality

Tobacco use is the number-one cause of preventable death and disease in Oregon.⁵² Each year, tobacco use kills over 8,000 Oregonians and costs almost \$5.7 billion in medical expenses and lost productivity. In Linn and Lincoln counties, tobacco was responsible for an average of 180.7 and 202.4 deaths per 100,000 people respectively from years 2017 to 2020. These rates exceeded that of Oregon and far exceeded that of Benton County, which experienced an average of 83.9 deaths related to tobacco use per 100,000 people from years 2017 to 2020 (Figure 6-4).




Figure 6-3: Age-adjusted number of deaths per 100,000 people related to tobacco use by location

Data source: OHA Center for Health Statistics

Time period: 2017-2020

For more information: https://www.oregon.gov/oha/ph/preventionwellness/tobaccoprevention/pages/oregon-

tobacco-facts.aspx

Injury

Injury is the leading cause of death for Oregonians between the ages 1 and 44. Unintentional injury is the fourth leading cause of death among those of all ages in the LBL region (Table 6-3). From years 2017-2020, Lincoln County experienced the highest rate of injury deaths in the LBL region, followed by Linn County. Falls accounted for the greatest number of injury deaths in the LBL region, but these rates vary drastically by county. In 2020, Lincoln County experienced 1.5 and 2.9 times the number of deaths from falls as Linn and Benton counties respectively. Overdose/poisoning is the second leading cause of injury death in the region and was the leading cause of injury death in Linn County in 2020. During that year, Linn County experienced 25.1 deaths from overdose/poisoning per 100,000 people (Table 6-4).




Figure 6-4: Number of injury deaths per 100,000 people by location

Date source: OHA Center for Health Statistics

Time period: 2017-2020

For more information: https://visual-

 $data.dhso ha.state.or.us/t/OHA/views/Oregonde a ths from external injuries/CountyDash?\%3A display_count=n\&\%3A embed=y\&\%3A isGuestRedirectFromVizportal=y\&\%3A origin=viz_share_link\&\%3A showAppBanner=false\&\%3A showVizHome=n$

Table 6-3: Number of injury deaths per 100,000 people by leading causes of injury deaths and location

Cause of Injury Death	Benton	Lincoln	Linn	Oregon
Fall	23.2	55.9	19.6	19.5
Poisoning/Overdose	7.4	22.8	25.1	21.1
Transportation	7.4	22.8	19.6	13.6
Firearm	5.3	14.5	9.4	13.9
Suffocation	3.2	10.4	8.6	6.7
Drowning	0	8.3	4.7	2.0
Contact with Object	0	4.1	1.6	1.5
Medical Care Complications	2.1	0	0.8	1.9

Data source: OHA Center for Health Statistics

Time period: 2020

For more information: https://visual-

 $data.dhso ha.state.or.us/t/OHA/views/Oregonde a ths from external injuries/CountyDash?\%3A display_count=n\&\%3A embed=y\&\%3A isGuestRedirectFromVizportal=y\&\%3A origin=viz_share_link\&\%3A showAppBanner=false\&\%3A showVizHome=n$

Homicide

Injuries can be split into two categories, intentional and unintentional. Intentional injuries are comprised of homicides, suicides, and some undetermined deaths. From years 2017 to 2020, the LBL region experienced 29 homicides total. During this time, Benton County experienced 4 homicides, Lincoln County experienced 5 homicides, and Linn County experienced 20 homicides. Suicides account for a greater number of deaths in the region than do homicides. The region's suicide deaths will be explored in Chapter 8: Mental and Behavioral Health.

Chronic disease

A chronic disease is a condition that lasts at least one year and requires ongoing medical attention. Chronic diseases including heart disease, cancer, and diabetes are the leading causes of death in the United States.⁵³ Many chronic diseases can be prevented through lifestyle changes that target risk behaviors like tobacco use, poor nutrition, lack of physical activity, and excessive alcohol use. These individual choices however can be greatly constrained by the characteristics of one's community and life circumstances. Chapter 4: Social Determinants of Health includes data on characteristics of the three counties that may influence community members' ability to make positive health choices.

Cancer

Cancer is the leading cause of death in the LBL region and the state of Oregon. Each year, approximately 430 per 100,000 people in Oregon receive a cancer diagnosis and approximately 150 per 100,000 people die each year from cancer in the state. The LBL region's age-adjusted rate of newly diagnosed cancer cases range from 371.2 diagnoses per 100,000 people annually in Benton County to 429.0 diagnoses per 100,000 people annually in Linn County (Figure 6-5). On average, the LBL region experienced fewer cancer diagnoses than the state of Oregon. While Linn County's rate of cancer diagnosis is the highest in the region, its cancer mortality rate is comparable to that of Lincoln County. Annual cancer deaths ranged from 128.6 deaths per 100,000 people in Benton County to 172.5 cancer deaths per 100,000 people in Linn County over the years 2016-2020 (Figure 6-6). Note the difference between crude (unadjusted) mortality rates, as shown in Table 6-2, and age-adjusted mortality rates, as shown in Figure 6-6. The differences in mortality rates between Lincoln County and Benton County are much larger using crude mortality rates than with age-adjusted mortality rates, since the population in Lincoln County is substantially older than the population in Benton County. After adjusting for differences in the age of each county's population, the rates of cancer death experienced in each county of the LBL region are more similar.

Breast cancer makes up the largest proportion of cancer diagnoses in the LBL region, followed by prostate and lung and bronchus cancers (Table 6-4). From 2015 to 2019, Benton County experienced a high incidence (new occurrence) of breast cancer diagnosis, approximately 1.3 times higher than Linn and Lincoln counties. Despite its high incidence of breast cancer diagnosis, Benton County's breast cancer mortality rate was the same as the state of Oregon, and below that of Lincoln County during years 2016 to 2020. Lung cancer was the leading cause of cancer deaths in Oregon and in the LBL region from years 2016-2020. Both Linn and Lincoln counties experience higher rates of death from lung and bronchus cancers than the state and a far greater number than Benton County (Table 6-5). The leading

risk factor for lung cancer is smoking; it's estimated that about 80% of lung cancer deaths are the result of smoking.⁵⁴

450 429.0 427.0 406.4 400 Cancer diagnosis per 100,000 people 371.2 350 300 250 200 150 100 50 0 Lincoln Linn Oregon Benton

Figure 6-5: Age-adjusted number of cancer diagnoses per 100,000 people by location

Data source: Oregon State Cancer Registry

Time period: 2015-2019 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Cancer-type for the property of the proper

Incidence.aspx

Table 6-4: Age adjusted number of cancer diagnoses per 100,000 people by cancer type and location

Cancer Type	Benton	Lincoln	Linn	Oregon (2019)
Breast	159.1	120.4	116.7	134.6
Prostate	91.0	97.7	109.6	96.4
Lung and Bronchus	31.7	53.8	57.0	46.5
Colon and Rectum	26.6	31.9	32.8	32.1
Corpus and Uterus (not otherwise specified)	29.4	25.6	33.9	30.2
Non-Hodgkin Lymphoma	15.8	19.1	19.2	16.9
Urinary Bladder	19.5	27.8	25.5	19.9

Data source: Oregon State Cancer Registry

Time period: Counties, annual average for 2015-2019; Oregon, 2019 only

For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Cancer-type for the property of the proper

Incidence.aspx




Figure 6-6: Age adjusted number of cancer deaths per 100,000 people by location

Data source: OHA Center for Health Statistics

Time period: 2016-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Cancer-

Incidence.aspx

Table 6-5: Age-adjusted number of cancer deaths per 100,000 people by cancer type and location

Cancer Type	Benton	Lincoln	Linn	Oregon (2020)
Breast	18.5	22.4	17.3	18.5
Colon and Rectum	11.4	15.1	11.9	11.2
Lung and Bronchus	24.2	43.6	43.9	30.8
Liver and Intrahepatic Bile Duct	4.1	7.1	8.5	6.8
Ovary	7.8	8.3	8.8	6.1
Pancreas	11.2	13.3	11.9	10.9
Prostate	20.7	15.1	23.0	18.9

Data source: OHA Center for Health Statistics

Time period: Counties, annual average for 2016-2020; Oregon, 2020 only

For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Cancer-Incidence.aspx

Heart Disease and Stroke

Heart disease is the leading cause of death in the United States and the second leading cause of death in Oregon and the LBL region (Figure 6-3). Heart disease refers to several types of heart conditions, including coronary heart disease, which is the most common type of heart disease. Coronary heart disease is more common in the LBL region than in the state of Oregon on average.

Stroke is the most common type of cerebrovascular disease, resulting from restriction of blood flow to the brain. Cerebrovascular diseases are a leading cause of death in the state of Oregon and in the LBL region (Figure 6-3). Based on PLACES county estimates from 2020, the three counties making up the LBL region experienced a comparable total number of strokes (Figure 6-8). Among those 35 and older, more people died from heart disease and stroke in 2018-2020 in Linn County than in Lincoln or Benton counties. Lincoln County's mortality rate for heart disease and stroke were similar to the state of Oregon, while Benton County's were lower (Figure 6-9).

Oregon's Black population has the highest mortality rates from heart disease and stroke when compared to other race/ethnicity groups (Table 6-7 and 6-8). Due to insufficient data, trends in heart disease and stroke mortality by race/ethnicity in the LBL region can't be analyzed fully. Based on the data available, non-Hispanic Whites have the highest mortality rate from heart disease and stroke in the region. Rates of heart disease and stroke also vary by gender. In the region, men are much more likely to die from heart disease than are women, while women in the region (with the exception of Lincoln County) are more likely than men to die from stroke (Figure 6-10 and 6-11).




Figure 6-7: Age adjusted percent of adults who have ever experienced coronary heart disease or stroke by location

*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.

Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html




Figure 6-8: Number of deaths per 100,000 adults 35 years and older from heart disease or stroke by location

 ${\tt Data\ source: Interactive\ Atlas\ of\ Heart\ Disease\ \&\ Stroke,\ CDC\ Division\ for\ Heart\ Disease\ and\ Stroke\ Prevention}$

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Heart-Disease-and-Stoke-Deaths.aspx

Table 6-6: Number of deaths per 100,000 adults 35 and older from heart disease by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian / Alaska Native	195	173	247	208
Asian Pacific Islander	119	138	279	133
Black	219	*	241	287
Hispanic	115	164	97	133
White	234	260	325	264

^{*}Unreliable due to small numbers

Data source: Interactive Atlas of Heart Disease & Stroke, CDC Division for Heart Disease and Stroke Prevention

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Heart-Disease-and-Stoke-Deaths.aspx




Figure 6-9: Number of deaths per 100,000 adults 35 and older from heart disease by gender and location

 ${\tt Data\ source: Interactive\ Atlas\ of\ Heart\ Disease\ \&\ Stroke,\ CDC\ Division\ for\ Heart\ Disease\ and\ Stroke\ Prevention}$

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Heart-Disease-and-Stoke-Deaths.aspx

Table 6-7: Number of deaths per 100,000 adults 35 years and older from stroke by race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	*	*	*	63
Asian or Pacific Islander	50	90	73	85
Black	*	*	*	118
Hispanic	53	50	65	60
White	76	78	87	76

^{*}Unreliable due to small numbers

Data source: Interactive Atlas of Heart Disease & Stroke, CDC Division for Heart Disease and Stroke Prevention

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Heart-Disease-and-Stoke-Deaths.aspx




Figure 6-10: Number of deaths per 100,000 adults 35 and older from stroke by gender and location

Data source: Interactive Atlas of Heart Disease & Stroke, CDC Division for Heart Disease and Stroke Prevention

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/DISEASESCONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/Heart-Disease-and-Stoke-Deaths.aspx

Both heart disease and stroke have risk factors that are largely modifiable with lifestyle change including high blood pressure, high cholesterol, diabetes, and obesity. PLACES estimates from years 2019 and 2020 find that the LBL region experienced rates of these risk factors similar to the state average. With the exception of high cholesterol, Benton County had the lowest estimated rates of these risk factors, falling below the state average in most conditions. Linn and Lincoln counties had similar estimated rates, in most cases with higher rates than the state average (Table 6-9). Smoking is another risk factor for heart disease and stroke, as well as numerous additional chronic diseases. Rates of smoking in the LBL region will be explored in Chapter 8: Mental & Behavioral Health.

Table 6-8: Age adjusted percent of adults with risk factors for heart disease and stroke by location

Risk Factor	Benton*	Lincoln*	Linn*	Oregon
High blood pressure	25.8%	28.8%	29.2%	27.5%
High cholesterol	25.8%	25.4%	24.2%	26.0%
Diabetes	8.2%	8.8%	8.8%	8.4%
Obesity	28.5%	32.4%	33.3%	28.1%

^{*}Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.

Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: Cholesterol and high blood pressure data 2019, diabetes and obesity data 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Infectious Illnesses (Non-COVID)

Prevention and control of infectious illnesses rank among the greatest health advances of the 20th century. The World Health Organization defines infectious diseases as those that are caused by bacteria, viruses, parasites, or fungi; and can be passed from person to person. ⁵⁵ Some are transmitted via ingesting contaminated food or water, many are spread by microorganisms in coughs or sneezes, and others result from exposures in the environment or insect bites. Diseases that spread from animals are called zoonotic infections. Infectious illnesses are representative of the overall health and wellness of a community through prevention efforts and transition data represented below.

For reference, here are the diseases listed in the graphs below and their associations:

Campylobacteriosis. A bacteria carried by infected livestock which causes a food borne illness from underprepared, contaminated food. It is the most common bacterial cause of diarrheal illness in the United States. For more information visit https://www.cdc.gov/campylobacter/fag.html.

E.Coli. A group of large and diverse group of bacteria with many different strains, some of which can cause severe food borne illness, specifically Shinga Toxin-Producing E.Coli (STEC) from sources such as raw/undercooked meat and fecal contamination of vegetables. For more information visit https://www.who.int/news-room/fact-sheets/detail/e-coli.

Chlamydia. A common STD for both men and women that causes infection which can cause damage to the reproductive center of a woman if left untreated. For more information visit https://www.cdc.gov/std/chlamydia/stdfact-chlamydia.htm.

Gonorrhea. A common STD that causes infection in the genitals, rectum, and throat for both men and women. For more information visit https://www.cdc.gov/std/gonorrhea/Gonorrhea-FS.pdf.

Syphilis. A STD that causes infection to develop in stages and can cause serious health problems without treatment. For more information visit https://www.cdc.gov/std/syphilis/stdfact-syphilis.htm

37.2 Reported cases per 100,000 people $_{\mbox{$\mathbb{Z}$}}$ 35.4 31.7 31.6 28.4 27.1 29.1 26.6 25.2 Oregon 25.4 Lincoln County 23.0 Linn County 21.6 19.6 Benton County 19.6 19.5 19.6 18.8 19.4 18.2 LBL Region 13.9

2017

2018

2019

2020

Figure 6-11: Reported cases of campylobacteriosis per 100,000 people by year and location

Data source: Oregon Public Health Assessment Tool

2012

Time period: 2011-2020

2011

For more information: contact the local health department

2013




Figure 6-12: Reported cases of E. coli per 100,000 people by year and location

2014

2015

Year

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Reported cases per 100,000 people Oregon Lincoln County Linn County Benton County LBL Region

Figure 6-13: Reported cases of chlamydia per 100,000 people by year and location

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department




Figure 6-14: Reported cases of gonorrhea per 100,000 people by year and location

Year

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department




Figure 6-15: Reported cases of syphilis per 100,000 people by year and location

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

7 Healthy Youth & Families

The wellbeing of gestational parents, infants, and children determines the health of the next generation and therefore is an important area for public health intervention. This section evaluates gestational parents and child health outcomes and numerous factors that influence these outcomes.

Throughout this section, we use the terms 'maternal' and 'women' as well as 'gestational parent' and 'pregnant parent.' We recognize that not all pregnant people identify as women. Often the choice of wording used in this report reflects the wording used by the data source being cited. We hope that inclusive language will become the standard in the future.

Pregnancy & Infant Health

Birth Rate

Birth rate is the total number of live births per 1,000 gestational parents each year. Overall, the birth rate in the LBL region decreased slightly from years 2018 to 2020. Linn County's birth rate is higher than that of Benton and Lincoln Counties and the state of Oregon (e.

Figure 7-1). Gestational parents in Benton County tend to give birth at a later age than gestational parents in Linn and Lincoln counties and the state of Oregon (Table 7-1). Gestational parents of Hispanic ethnicity had the highest birth rate.

15 12.0 11.4 11.4 12 Births per 1,000 people 10.1 9.9 9.3 8.3 7.7 7.5 7.3 7.1 6.6 3 0 2018 2019 2020 Name → Benton II Lincoln ✓ Linn Oregon

Figure 7-1: Number of births per 1,000 people by year and location

Data source: Population data from Population Research Center, Portland State University; birth data from Vital

Statistics, OHA Center for Health Statistics

Time period: 2018-2020

For more information: Population data: https://www.pdx.edu/population-research/population-estimate-reports, Birth data: https://www.oregon.gov/oha/PH/BIRTHDEATHCERTIFICATES/VITALSTATISTICS/BIRTH/Pages/index.aspx

Table 7-1: Number of births per 1,000 population by maternal age group and location

Maternal Age	Benton	Lincoln	Linn	Oregon
10 to 14 years	0	<1	<1	<1
15 to 17 years	1	7	6	5
18 to 19 years	4	46	42	26
20 to 24 years	12	97	99	58
25 to 29 years	60	100	115	83
30 to 34 years	93	76	87	87
35 to 39 years	54	41	39	48
40 to 44 years	11	12	8	11
45 to 49 years	1	0	0	1

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact local health department

Table 7-2: Number of births per 1,000 gestational parents by gestational parent's race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	28.1	37.8	35.2	35.6
Asian or Pacific Islander	24.7	36.2	35.6	36.9
Black	21.1	26.4	40.6	43.9
Hispanic	32.7	50.0	49.8	47.2
White	25.4	40.0	47.2	37.7

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Prenatal Care and Healthy Pregnancy

Prenatal care is the health care a gestational parent receives during pregnancy. Prenatal care can help parents have a healthy pregnancy for themselves and their baby and can help identify and treat complications. Pregnant people who don't receive prenatal care are three times more likely to have babies born at a low birth weight and five times more likely to have babies that die than pregnant people who do get prenatal care.⁵⁶

Adequate prenatal care is defined as care that began before the third trimester and included at least five prenatal care visits. Pregnant people who identify as White, non-Hispanic are more likely to receive adequate prenatal care than are other racial/ethnic groups. This is consistent across Linn, Benton, and Lincoln counties as well as the state (Table 7-3).

Access to prenatal care also varies by age. Teen parents (pregnancies among people under the age of 20) are less likely to receive adequate prenatal care than are other age groups. When compared to Oregon, the LBL region tends to have more gestational parents with adequate access to prenatal care, with the exception of gestational parents ages 35-49 (Table 7-4).

Table 7-3: Percent of pregnancies with inadequate or no prenatal care services by gestational parent's race/ethnicity and location

Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	20.0%	23.3%	14.5%	22.1%
Asian or Pacific Islander	11.2%	20.9%	18.6%	15.2%
Black	13.0%	23.3%	13.9%	19.6%
Hispanic	15.5%	17.5%	15.3%	16.3%
White	10.5%	14.1%	10.2%	11.3%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Table 7-4: Percent of pregnancies with inadequate or no prenatal care services by gestational parent's age group and location

Gestational Parent Age	Benton	Lincoln	Linn	Oregon
10 to 14 years	0.0%	0.0%	50.0%	48.0%
15 to 17 years	42.1%	17.2%	23.0%	26.4%
18 to 19 years	19.4%	24.5%	16.6%	21.3%
20 to 24 years	17.9%	18.2%	12.8%	17.6%
25 to 29 years	11.1%	14.3%	9.4%	12.8%
30 to 34 years	8.8%	12.2%	9.2%	10.0%
35 to 39 years	8.5%	13.9%	11.3%	9.8%
40 to 44 years	10.7%	17.8%	18.5%	12.5%
45 to 49 years	15.4%	20.0%	6.7%	11.1%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Prenatal Tobacco Use

Prenatal care includes an educational component in which the gestational parent can learn about behaviors that increase risk for complication such as tobacco use. Gestational parents who smoke are more likely to deliver their babies early, deliver low birth weight babies, and deliver babies with weaker lungs, increasing their risk for numerous health problems.⁵⁷

From years 2018 to 2020, Lincoln County had the greatest percentage of births in which tobacco was used during pregnancy. Both Lincoln and Linn counties had rates of prenatal tobacco use far exceeding the Oregon state average during all three years (Figure 7-2). In the LBL region, younger gestational parents had higher rates of prenatal tobacco use (Table 7-5).




Figure 7-2: Percent of births in which tobacco was used during pregnancy by year and location

Data source: OHA Center for Health Statistics

Time period: 2019-2021

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/Oregonbirthsandpregnanciesbycounty/CountyDashboard

Table 7-5: Percent of maternal prenatal tobacco use by maternal age

Maternal Age	Benton	Lincoln	Linn	Oregon
10 to 14 years	0.0%	0.0%	50.0%	7.3%
15 to 17 years	7.9%	25.0%	23.2%	12.2%
18 to 19 years	21.9%	26.5%	26.7%	16.5%
20 to 24 years	14%	24.2%	21.2%	15.4%
25 to 29 years	7.1%	17.6%	14.3%	10.1%
30 to 34 years	4.2%	15.7%	10.8%	6.3%
35 to 39 years	3.6%	12.3%	11.8%	5.0%
40 to 44 years	4.4%	10.2%	9.8%	4.7%
45 to 49 years	0.0%	20.0%	0.0%	2.3%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Premature Birth and Low Birthweight

Infant weight at birth is a strong predictor of health outcomes including chances of survival, risk of medical complications, and achievement of development milestones.⁵⁸ Low birthweight can be caused by numerous factors including premature birth, infection during pregnancy, smoking, and alcohol or drug use.

Low birthweight is defined as an infant whose weight at birth is 5.5 pounds or less. Lincoln County had the greatest percentage of low birthweight births from 2018 to 2020, although its rates have decreased drastically during this time period. Benton County's percentage of low birthweight births were below the Oregon state average for years 2018 to 2020 but its rates did increase during this time period (Figure 7-2).

Teen gestational parents (ages 10-19) and gestational parents of advanced gestational parent age (ages 35-49) have the highest percentage of newborns with low birthweight (Table 7-5). This may be in part driven by the region's rates of premature birth, which also exceed those of Oregon and follow a similar pattern when looking at gestational parent age. Premature birth is defined as birth that occurs before the 37th week of pregnancy. Black gestational parents are much more likely to both have a newborn with low birthweight and to experience premature birth (Table 7-6).




Figure 7-3: Percent of newborns with low birthweight by year and location

Data source: OHA Center for Health Statistics

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/VitalStatistics/birth/Pages/index.aspx

Table 7-6: Percent of newborns with low birthweight by maternal age group and location

Maternal Age	Benton	Lincoln	Linn	Oregon
10 to 14 years	0.0%	33.3%	0.0%	4.6%
15 to 17 years	7.9%	9.4%	10.2%	8.4%
18 to 19 years	9.0%	10.8%	7.5%	7.7%
20 to 24 years	6.4%	6.4%	6.4%	6.7%
25 to 29 years	5.1%	6.0%	5.4%	5.8%
30 to 34 years	4.3%	7.4%	5.4%	6.1%
35 to 39 years	6.0%	12.1%	8.1%	7.1%
40 to 44 years	10.2%	6.8%	10.9%	9.1%
45 to 49 years	15.4%	0.0%	20.0%	15.0%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Table 7-7: Percent of newborns with low birthweight by gestational parent's race/ethnicity and location

Gestational Parent Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	7.3%	8.3%	5.8%	7.5%
Asian or Pacific Islander	4.9%	7.0%	6.0%	7.8%
Black	11.7%	10.0%	10.2%	9.8%
Hispanic	6.6%	7.9%	6.3%	6.6%
White	5.1%	7.3%	6.1%	6.1%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact county health department

Table 7-8: Percent of premature births by gestational parent's age group and location

Gestational Parent Age	Benton	Lincoln	Linn	Oregon
10 to 14 years	0.0%	33.3%	0.0%	8.6%
15 to 17 years	5.3%	12.5%	9.7%	8.9%
18 to 19 years	11.6%	9.3%	8.8%	8.2%
20 to 24 years	5.9%	5.9%	7.7%	7.7%
25 to 29 years	5.9%	8.0%	6.9%	7.1%
30 to 34 years	5.4%	8.7%	7.4%	7.5%
35 to 39 years	7.2%	12.7%	10.8%	8.9%
40 to 44 years	10.3%	7.6%	13.4%	11.4%
45 to 49 years	38.5%	20.0%	46.7%	18.8%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Table 7-9: Percent of premature births by gestational parent's race/ethnicity and location

Gestational Parent Race/Ethnicity	Benton	Lincoln	Linn	Oregon
American Indian or Alaska Native	10.9%	5.2%	7.5%	10.0%
Asian or Pacific Islander	4.9%	8.1%	4.7%	7.9%
Black	14.3%	10.0%	11.1%	9.7%
Hispanic	7.4%	9.5%	8.2%	8.2%
White	6.0%	8.3%	7.8%	7.5%

Data source: Oregon Public Health Assessment Tool

Time period: 2011-2020

For more information: contact the local health department

Teen Pregnancy

Teen pregnancy and childbearing have long-term social and economic costs on teen parents and their children. Only about 50% of teen gestational parents receive a high school diploma by age 22 compared to 90% of gestational parents who don't have children as a teen. The children of teenage gestational parents are more likely to drop out of high school themselves, have low academic achievement, have more health problems, be incarcerated as an adolescent, give birth during their teenage years, and face

unemployment as a young adult.⁵⁹ These long-term costs make teen pregnancy a pertinent public health issue.

In the United States, rates of teen pregnancy have been declining since 1991. On average, in the LBL region, teen pregnancy rates have been declining from years 2018 to 2020. Lincoln County experienced disproportionately high rates of teen pregnancy in years 2018 and 2019 but has seen a major reduction in rates of teen pregnancy in the year 2020. Linn County's rates of teen pregnancy are similar to those of the state of Oregon, while Benton County's teen pregnancy rates are lower (Figure 7-3).




Figure 7-4: Teen pregnancy rate by location, 2018-2020

Data source: Population Research Center, Portland State University

Time period: 2018-2020 For more information:

https://www.oregon.gov/oha/PH/BIRTHDEATHCERTIFICATES/VITALSTATISTICS/TEENPREGNANCY/Pages/Teen-to-the-like theorem and the properties of the properties of

Pregnancy-YTD-and-Final.aspx

Breastfeeding

Breastfeeding has health benefits for both babies and gestational parents. Breast milk is the best source of nutrition for most babies and thanks to antibodies shared from gestational parent to baby through breast milk, breastfeeding can protect babies from some short and long-term illnesses and diseases. Breastfed babies have lower risk of asthma, obesity, type 1 diabetes, sudden infant death syndrome, ear infections, and stomach bugs. Breastfeeding can reduce gestational parent's risk of breast and ovarian cancer, type 2 diabetes, and high blood pressure.⁶⁰

Data on breastfeeding are limited at both the state and county level. However, state programs, such as the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC), give some insight into the percentage of participating gestational parents who breastfeed. In 2021, Lincoln County had the greatest percentage of pregnant gestational parents on WIC and the greatest percentage of gestational

parents who started out breastfeeding. After 6 months however, Lincoln County WIC gestational parents are the least likely to have exclusively breastfed. Benton County had the greatest percentage of gestational parents who breastfed exclusively for 6 months in 2021 (Table 7-10).

Table 7-10: Percent of gestational parents who utilized WIC during the postpartum period by breastfeeding duration and location

	Benton	Lincoln	Linn
Percent of WIC gestational parents who started out breastfeeding (initiation)	97%	99%	93%
Percent of gestational parents who breastfed exclusively for 6 months	43%	33%	39%

Data source: 2021 WIC Annual Report, Oregon Health Authority

Time period: 2021

For more information: https://www.oregon.gov/oha/PH/HEALTHYPEOPLEFAMILIES/WIC/Pages/annual.aspx

Child and Adolescent Health

Childhood and adolescence are formative times in a person's life, and they set the stage for later health and wellbeing. The number and severity of adverse experiences during childhood affect an individuals' risk for alcoholism, depression, heart disease, liver disease, intimate partner violence, sexually transmitted infections, smoking, and suicide. Child and adolescent health include overall health and wellness involving child abuse, foster care, and youth immunization rates.

Child Abuse

Child abuse is one form of Adverse Childhood Experience (ACE). In 2021 there were a total of 5,576 reports of child abuse in the LBL region. Of those reports, 3,098 (53.6%) were referred to Child Protective Services. In 2021, neglect and threat of harm were the two most common forms of child abuse in the LBL region. In Oregon, leading family stress factors of abused children are substance use, domestic violence, and parental involvement with law enforcement.

Lincoln and Linn counties had higher rates of child abuse compared to Benton County and the state of Oregon during years 2019 to 2021. Child abuse rates dropped in both Linn and Lincoln counties between 2019 and 2021, however did increase by 4.5% in Benton County from 2020 to 2021 (Figure 7-5). From 2019 to 2021, Lincoln County had many more children in foster care per 1,000 children than did Benton and Linn counties and the state of Oregon (Figure 7-7).




Figure 7-5: Number of child abuse victims per 1,000 children by location

Data source: Child Welfare Data Book

2019

Time period: 2019-2021

For more information: https://www.oregon.gov/dhs/CHILDREN/CHILD-ABUSE/Documents/2021-cw-data-book.pdf

2020

Benton County | Lincoln County | Linn County

2021




Figure 7-6: Family stress factors among founded abuse cases, Oregon

Data source: Child Welfare Data Book

Time period: 2021

For more information: https://www.oregon.gov/dhs/CHILDREN/CHILD-ABUSE/Documents/2021-cw-data-book.pdf




Figure 7-7: Number of children in foster care per 1,000 children by location

Data source: Child Welfare Data Book

Time period: 2019-2021

For more information: https://www.oregon.gov/dhs/CHILDREN/CHILD-ABUSE/Documents/2021-cw-data-book.pdf

Youth Immunization Rates

Immunization against communicable diseases has been one of the greatest advancements in public health and has led to the elimination of numerous diseases in the United States including smallpox, polio, measles, and rubella. Each year, childhood vaccines save an estimated two to three million lives worldwide.⁶¹

The current Centers for Disease Control and Prevention (CDC) recommendations (as of 2022) are for children to be fully vaccinated by age two against:

- Diphtheria, Tetanus, Pertussis
- Polio
- Measles, Mumps, Rubella
- Hib (a bacterial infection that can cause meningitis)
- Hepatitis B
- Varicella (Chickenpox)
- Pneumococcal conjugate

This is known as the 4:3:1:3:3:1:4 schedule. When compared to the state of Oregon, the LBL region had lower percentages of two year olds up to date with this vaccine schedule during years 2019 through 2021 (Figure 7-8). In years 2019 and 2021, the counties making up the LBL region had similar percentages of two year olds who completed the 4:3:1:3:3:1:4 vaccine schedule. In 2020, Lincoln County's percentage of two year olds who completed the 4:3:1:3:3:1:4 vaccine schedule declined, possibly due to COVID-19 healthcare interruptions.

Vaccination rates vary slightly among WIC clients. In 2019-2021, fewer two year olds enrolled in WIC services completed the 4:3:1:3:3:1:4 vaccine schedule in Benton and Linn counties when compared to the general population. In Lincoln County during these years, a greater or equal percentage of two year olds enrolled in WIC services completed the 4:3:1:3:3:1:4 vaccine schedule than the general population.

Starting at age 11 or 12, adolescents are recommended to receive Tdap, HPV, and Meningococcal vaccines. In 2021, adolescents in the LBL region received the Tdap vaccine at rates comparable to the state average. Adolescents in the LBL region received the Meningococcal and HPV vaccine at rates slightly lower than the state average in 2021 (Table 7-11).




Figure 7-8: Percent of two-year olds up to date with the 4:3:1:3:3:1:4 vaccine series by location

Data source: ALERT Immunization Information System (IIS)

Time period: 2019-2021 For more information:

https://www.oregon.gov/oha/ph/preventionwellness/vaccinesimmunization/pages/researchchild.aspx

Table 7-11: Percent of adolescents ages 13 to 17 immunized for specific diseases by location

	Benton	Lincoln	Linn	Oregon
Tdap (tetanus, diphtheria, acellular pertussis)	89%	87%	92%	90%
Meningococcal	75%	72%	76%	81%
HPV completion (2 or 3 doses depending on age at first dose)	50%	48%	44%	55%

Data source: Alert Immunization Information System (IIS)

Time period: 2021 For more information:

https://www.oregon.gov/oha/PH/PREVENTIONWELLNESS/VACCINESIMMUNIZATION/Pages/researchteen.aspx

8 Mental & Behavioral Health


The term "behavioral health" refers to a wide range of topics and is often used interchangeably with "mental health." Behavioral health describes the connection between a person's behaviors and the health and wellbeing of the body and mind, 62 while mental health refers only to one's emotional, psychological and social wellbeing. 63 This chapter explores topics that fall under the categorization of mental health and those that are categorized as behavioral health including substance use, nutrition and physical activity.


Mental Health

Mental health has a significant impact on overall health and is composed of emotional, psychological, and social factors. Poor mental health reduces one's ability to cope with stress, make healthy decisions, and recover from disease. The association between poor mental health and chronic disease has been well established in literature. Oregon has a considerably high prevalence of mental health illness and low access to mental health care. In 2020, Oregon ranked last in the United States for mental health. Given the extreme burden of this public health issue, the 2020-2024 State Health Improvement Plan aims to improve behavioral health and reduce mental health stigma in Oregon communities. Given the extreme burden of the public health and reduce mental health stigma in Oregon communities.

Based on PLACES estimates, a greater number of adults in the LBL region experienced 14 or more "not good" mental health days when compared to Oregon on average (Figure 8-1). Mental illness differs from poor mental health. A mental illness is a diagnosed condition that affects one's thoughts and behaviors. According to the CDC, more than 50% of Americans will be diagnosed with a mental illness in their lifetime. In 2020, 21.8% of Oregon's population had a diagnosis of depression. Fe PLACES estimates show the LBL region as having similar rates of depression as the state of Oregon, with Linn and Lincoln counties having slightly higher rates and Benton County having slightly lower rates (Figure 8-2). Benton County consistently outperformed the surrounding counties in regard to mental health indicators. From 2018-2020, Lincoln County had the highest rates of suicide deaths in the LBL region. The majority of suicide deaths in the LBL region were among those ages 25-44 (Figure 8-6).

Mental health in adolescents and children is a growing problem that had been exacerbated by the COVID-19 pandemic. In the 2021 student health survey, 37% of surveyed high school students reported having poor mental health during the pandemic and 44% felt persistently sad or hopeless over the previous year.⁶⁷ To track health indicators in the adolescent population, the Oregon Health Authority administers the Oregon Healthy Teens Survey to eighth and eleventh graders across the state during in odd numbered years. In 2019, students residing in Lincoln County had a high prevalence of feeling sad and hopeless (Figure 8-3) and ranked consistently poor for other important mental health indicators. Close to a quarter of all eighth graders in Lincoln County reporting seriously considering suicide (Figure 8-7) and over 13% of the students reported attempting suicide (Figure 8-8). Lincoln County also had the highest percentage of eleventh graders who considered suicide, however eleventh grade students in Linn County more commonly reported attempting suicide. Benton County students had the lowest percentage of suicidal ideation and attempts in the region (Figures 8-7 and 8-8).





*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 8-2: Age adjusted percent of adults that report being diagnosed with depression by location



*Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 8-3: Percent of students who reported feeling sad or hopeless almost every day for 2+ weeks in a row by grade and location




Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

Figure 8-4: Percent of students who reported being bullied at school in the last 30 days by grade and location



Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx




Figure 8-5: Age adjusted number of deaths by suicide per 100,000 people by year and location

Data source: Oregon Violent Death Dashboard

Time period: 2018-2020

For more information: https://www.oregon.gov/oha/PH/DiseasesConditions/InjuryFatalityData/Pages/nvdrs.aspx




Figure 8-6: Number of deaths by suicide per 100,000 people by age group and location

Data source: Oregon Violent Death Dashboard

Time period: 2019-2020

For more information: https://www.oregon.gov/oha/PH/DiseasesConditions/InjuryFatalityData/Pages/nvdrs.aspx




Figure 8-7: Percent of students who reported seriously considering attempting suicide by grade and location

Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

■8th =11th




Figure 8-8: Percent of students who reported attempting suicide by grade and location

Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

Substance Use

The dangers of tobacco use are well documented and include heightened risk for a myriad of diseases including cancer, heart disease, stroke, lung disease, diabetes, and chronic obstructive pulmonary disease. For every person who dies because of smoking, at least 30 people live with a serious smoking-related illness. In 2020, 18.8% of Oregon residents living with one or more chronic diseases smoked cigarettes. Lincoln County has the highest percent of adults who smoke cigarettes and a higher percentage than Oregon on average (Figure 8-9). Of those who smoke cigarettes in the LBL region, over half either want to quit smoking or have attempted to quit during the previous year (Table 8-1).

Alcohol and prescription medications are consumed appropriately and responsibly by most of the population. However, problems frequently occur when these substances are overconsumed, used inappropriately, combined with other substances, or consumed while engaging in risky activities such as driving or unsafe sexual activity. PLACES estimates show a greater percentage of Linn and Lincoln County adults engaging in binge drinking than the Oregon average (Figure 8-10). Binge drinking is defined as five or more drinks among men and four or more drinks among women per day.

Drug overdose deaths in the LBL region in years 2017 to 2019 were driven primarily by opioids and methamphetamine. The majority of Linn County's drug overdose deaths during these years were from methamphetamines while the majority of Benton and Lincoln County drug overdoses were from opioids. ⁷⁰ In years 2017 and 2018, all counties belonging to the LBL region experienced fewer accidental/undetermined drug overdose deaths per 100,00 people than the state of Oregon. In 2019, drug overdose rates increased in all three counties and the state of Oregon (Figure 8-11). From 2018 to 2019, Lincoln County's drug overdose death rate increased 147%.

Misuse of substances at an early age (particularly before age 18) is shown to be an important predictor of substance use disorders later in life, making this period an important focus for prevention efforts. In 2019, Lincoln County had the greatest percentage of 8th grade students who had ever used cigarettes, alcohol, marijuana, and prescription drugs (Figure 8-12). Among 11th graders that same year, Linn County had the greatest percent of students who had ever used cigarettes, alcohol, marijuana, and ecigarettes. In 2019, 37.4% of Linn County's 11th graders reported ever having used an e-cigarette (Figure 8-13). This is much higher than use in Lincoln and Benton counties and the state of Oregon.




Figure 8-9: Percent of adults 18 years and older who smoke cigarettes by location

 ${\tt Data\ source: Oregon\ Behavioral\ Risk\ Factor\ Surveillance\ System\ County\ Combined\ dataset,\ 2016-2019}$

Time period: 2016-2019

For more information: https://www.oregon.gov/oha/ph/preventionwellness/tobaccoprevention/pages/oregon-tobacco-facts.aspx

Table 8-1: Percent of adult smokers by quit status and location


	Benton	Lincoln	Linn	Oregon
Wants to quit cigarette smoking	55.9%	53.2%	59.5%	63.2%
Attempted to quit cigarette smoking during the previous year	51.9%	57.8%	51.0%	54.1%


Data source: Oregon Behavioral Risk Factor Surveillance System County Combined dataset, 2016 –2019

Time period: 2016-2019

For more information: https://www.oregon.gov/oha/ph/preventionwellness/tobaccoprevention/pages/oregon-

tobacco-facts.aspx





^{*}Note: Calculated via small area estimation methods using all national 2020 BRFS survey responses statistically adjusted for county-level demographics.


Data source: Behavioral Risk Factor Surveillance System PLACES

Time period: 2020

For more information: County-level data: https://www.cdc.gov/places/index.html. State-level data here:

https://www.cdc.gov/brfss/brfssprevalence/index.html

Figure 8-11: Number of accidental/undetermined deaths from drug overdose per 100,000 people by year and location




Data source: Oregon Prescribing Drug Overdose Data Dashboard

Time Period: 2017-2019 For more information:

https://www.oregon.gov/oha/PH/PREVENTIONWELLNESS/SUBSTANCEUSE/OPIOIDS/Pages/data.aspx

Figure 8-12: Percent of 8th grade students who reported ever using substances by substance and location



Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx




Figure 8-13: Percent of 11th grade students who reported ever using substances by substance and location

Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

Nutrition & Physical Activity


Healthy nutrition and physical activity promote lifelong health through improvement in body composition, musculoskeletal health, physical and cognitive health, and prevention of chronic disease. However, the ability to make healthy choices related to nutrition and physical activity is greatly constrained by the characteristics of one's community and life circumstances (see Chapter 4: Social Determinants of Health.)

Physical inactivity is associated with several diseases and conditions, including type 2 diabetes, cancer, stroke, hypertension, cardiovascular disease, and premature mortality. The United States Department of Health and Human Services (DHHS) recommends that adults get at least 150 minutes of moderate-intensity physical activity per week, 75 minutes of vigorous-intensity physical activity per week, or a combination of both moderate-to-vigorous physical activity. Leisure-time physical activity is physical activity that occurs outside of work hours and is often used as a population-level measure of physical activity. In 2019, a greater percentage of adults in Linn and Lincoln counties engaged in no leisure-time physical activity compared to the state of Oregon (Figure 8-14).

The DHHS recommends that adolescents get 60 minutes or more of physical activity every day.⁷³ In 2019, the percent of students meeting this recommendation was much lower among 11th graders than among 8th graders in both Linn and Benton counties. Lincoln County had the greatest percentage of 11th graders engaged in at least 60 minutes of physical activity a day in the LBL region, while Linn County had the greatest percentage of 8th graders meeting the guidelines in the LBL region.

Eighth graders in the LBL region were more likely to consume five or more servings of fruits and vegetables per day than were 11th graders. Benton County had the greatest percentage of both 8th and 11th grade students who consumed five or more servings of fruits or vegetables per day in 2019. This is consistent with data that shows that Benton County residents have the greatest access to grocery stores (Figure 3-4).

Figure 8-14: Age-adjusted percent of adults 18 and over reporting no leisure-time physical activity in the past month by location



Data source: County Health Rankings

Time period: 2022

For more information: https://www.countyhealthrankings.org/explore-health-rankings/county-health-rankings-model/health-factors/health-behaviors/diet-and-exercise/physical-inactivity?state=41&year=2022#map-anchor




Figure 8-15: Percent of students who are physically active for at least 60 minutes per day by grade and location

Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

■ 8th grade = 11th grade




Figure 8-16: Percent of students who consume 5 or more servings of fruits and vegetables per day by grade and location

Data source: Oregon Healthy Teen Survey

Time period: 2019 For more information:

https://www.oregon.gov/oha/PH/BirthDeathCertificates/Surveys/OregonHealthyTeens/Pages/index.aspx

Oregon Health Plan (Medicaid): InterCommunity Health Network Coordinated Care Organization (IHN-CCO)

The Oregon Health Plan (OHP) is Oregon's Medicaid program. The Oregon Health Authority established a network of Coordinated Care Organizations (CCOs) as Medicaid managed care organizations to coordinate services for people covered by the Oregon Health Plan. The InterCommunity Health Network Coordinated Care Organization (IHN-CCO), established in 2012, is responsible for managing care for OHP members in the LBL region. Nationally, Medicaid recipients are disproportionately affected by mental health disorders and Medicaid is the largest payer for mental health services in the United States. In 2021, 12.4% of all IHN-CCO members were diagnosed with an anxiety disorder and 10.6% had been diagnosed with depression (Figure 8-17). Over 70% of IHN-CCO members with a serious and persistent mental illness received at least one outpatient behavioral health visits in 2021, with persons residing in Lincoln County most likely to receive care (Figure 8-18).

It is important to note that the data below come from insurance claims. Claims are only available for health care services that were provided – meaning that individuals both sought care and were able to access care. The data below should be interpreted as a reflection of the services provided, not a reflection of the total need or frequency of health conditions among IHN-CCO members.




Figure 8-17: Percent of IHN-CCO members with a serious and persistent mental illness (SPMI)* diagnosis, by type and location

Data source: IHN-CCO claims

Time period: 2021

For more information: email SHSresearch@samhealth.org

^{*}SPMI, as defined by OHA, includes Schizophrenia; Major depressive disorder; Bipolar disorder; Anxiety, limited to obsessive compulsive disorder (OCD) or post traumatic stress disorder (PTSD); Schizotypal personality disorder; Borderline personality disorder⁷⁵




Figure 8-18: Percent of IHN-CCO members with a serious and persistent mental illness (SPMI)* who had an outpatient behavioral health visit by location

*SPMI, as defined by OHA, includes Schizophrenia; Major depressive disorder; Bipolar disorder; Anxiety, limited to obsessive compulsive disorder (OCD) or post traumatic stress disorder (PTSD); Schizotypal personality disorder; Borderline personality disorder⁷⁶

Lincoln

Linn

Data source: IHN-CCO claims

Time period: 2021

10% 0%

For more information: email SHSresearch@samhealth.org

Benton

9 COVID-19

The COVID-19 pandemic has taken over a million lives in the United States as of May 31, 2022.⁷⁷ Of those, 7,635 were Oregonians, and 402 lived in Linn, Benton, and Lincoln counties.⁷⁸ Almost 750,000 Oregonians have had a confirmed case of COVID-19, which represents about 18% of the population in 2022. The burden of the pandemic has landed heavily on diverse populations, low-income groups, and the elderly. This chapter focuses on the disease itself, but the broader community effects, including education, mental health, economic distress, food insecurity, racism, and the effect on the health care system cannot be ignored. These effects are still being investigated and may take years to be fully revealed and understood.


There are likely many cases of COVID-19 that have never been reported to public health authorities; therefore, all case rate data should be understood as reported cases only. However, in most cases hospitalizations and deaths that were caused by COVID-19 were accurately reported to public health, so those data are highly accurate.

Case Rates

The first recorded case of COVID-19 in Oregon was diagnosed on February 28, 2020 in Washington County. Since that date, there have been over 50,000 diagnosed cases of COVID-19 in Linn, Benton, and Lincoln counties. The cases have come in waves as environmental conditions and emerging variants have sparked new surges. The following graphs show the number of reported cases each week from the beginning of the pandemic until March 2022. Linn County experienced the greatest number of COVID-19 cases in the LBL region, followed by Benton County (Figures 9-1, 9-2, and 9-3).

The disease dynamics are similar in all three counties. Lincoln County experienced a major outbreak at a seafood processing plant in June 2020, which explains the spike in cases during that month. The significant surges in August 2021 and January 2022 were caused by the Delta and Omicron variants, respectively.


Figure 9-1: Number of newly confirmed COVID-19 cases in Benton County by date March 1st, 2020 through March 31st, 2022




Data source: OPERA Time period: 2020-2022

For more information: contact county health department

Figure 9-2: Number of newly confirmed COVID-19 cases in Lincoln County by date





Data source: OPERA Time period: 2020-2022

For more information: contact county health department




Figure 9-3: Number of newly confirmed COVID-19 cases in Linn County by date

Data source: OPERA Time period: 2020-2022

For more information: contact the county health department

COVID-19 has affected demographic subgroups to different extents. The following two tables show the case breakdown by age group and by race/ethnicity. The tables show the number of cases in each subgroup and the percent of total cases that occurred in that subgroup. In order to compare subgroups, the percent of the total population in that subgroup is also listed. The column "Qualitative assessment of case count" indicates whether there were more or fewer cases in that subgroup than the population would lead one to expect. For example, if 10% of cases occurred in a subgroup, but 15% of the total population were in that subgroup, then the burden of COVID-19 would be lower than expected. If the percent of cases were equal to the percent of population, then the burden would be in line with what one would expect. The label of "close to the expected number of cases" is given when the percent of cases for a specified group is less than 2.5% above or below the percent of total population in the specified group.

When considering the population size of each age category, the 18 to 29 age group had much higher than expected case rates in all three counties, while the 65 and older age group had much lower than expected age rates in all three counties.

When considering the population size of each race/ethnicity category, the burden COVID-19 has been much higher in non-White populations compared to White populations in the three counties and beyond. All non-White subgroups had close to or higher than expected case rates, other than the Asian population in Benton County. In all three counties, the case rate among White populations has been below what would be expected given their share of the population.

Table 9-1: Newly confirmed COVID-19 cases by age group and location

County	Age group	Case count	Percent of cases in age group	Percent of population	Qualitative assessment of case count
	Under 18	2,665	17.7%	16.4%	Close to expected # of cases
	18 to 29	6,269	41.5%	30.4%	Above expected # of cases
Benton	30 to 49	3,310	21.9%	20.7%	Close to expected # of cases
Benton	50 to 64	1,628	10.8%	17.0%	Below expected # of cases
	65 and older	1,189	7.9%	15.5%	Below expected # of cases
	Unknown	28	0.2%	N/A	N/A
	Under 18	1,313	18.8%	16.9%	Close to expected # of cases
	18 to 29	1,277	18.3%	10.7%	Above expected # of cases
Lincoln	30 to 49	2,239	32.0%	20.1%	Above expected # of cases
Lilicolli	50 to 64	1,199	17.1%	24.4%	Below expected # of cases
	65 and older	950	13.6%	27.9%	Below expected # of cases
	Unknown	19	0.3%	N/A	N/A
	Under 18	4,846	18.4%	22.7%	Below expected # of cases
	18 to 29	5,555	21.1%	14.8%	Above expected # of cases
linn	30 to 49	8,283	31.4%	24.4%	Above expected # of cases
Linn	50 to 64	4,538	17.2%	19.8%	Below expected # of cases
	65 and older	3,140	11.9%	18.3%	Below expected # of cases
	Unknown	12	0.0%	N/A	N/A

Data source: OPERA; United States Census Bureau, America Community Survey, Table B01001

Time period: 2020-2022; 2016-2020

Table 9-2: Newly confirmed COVID-19 Cases by race/ ethnicity and location

County	Race/Ethnicity	Case count	Percent of all cases	Percent of population	Qualitative assessment of case count
	American Indian or Alaska Native	169	1.1%	0.7%	Close to expected # of cases
	Asian	513	3.4%	7.4%	Below expected # of cases
	Black or African American	237	1.6%	1.1%	Close to expected # of cases
	Hispanic or Latinx	1,528	10.1%	7.6%	Above expected # of cases
Benton	Native Hawaiian or Pacific Islander	42	0.3%	0.2%	Close to expected # of cases
	Multiple races	128	0.8%	4.9%	Below expected # of cases
	Other	2,311	15.3%	2.2%	Above expected # of cases
	White	9,539	63.2%	83.4%	Below expected # of cases
	Unknown/Refused	2,150	14.2%	N/A	N/A
	American Indian or Alaska Native	337	4.8%	2.5%	Above expected # of cases
	Asian	66	0.9%	1.1%	Close to expected # of cases
	Black or African American	51	0.7%	0.3%	Close to expected # of cases
	Hispanic or Latinx	1,042	14.9%	9.4%	Above expected # of cases
Lincoln	Native Hawaiian or Pacific Islander	28	0.4%	0.2%	Close to expected # of cases
	Multiple races	135	0.2%	5.8%	Below expected # of cases
	Other	629	9.0%	3.0%	Above expected # of cases
	White	4,519	64.6%	87.1%	Below expected # of cases
	Unknown/Refused	1,232	17.6%	N/A	N/A
	American Indian or Alaska Native	357	1.4%	0.9%	Close to expected # of cases
	Asian	210	0.8%	1.1%	Close to expected # of cases
	Black or African American	163	0.6%	0.5%	Close to expected # of cases
Linn	Hispanic or Latinx	2,330	8.8%	9.4%	Close to expected # of cases
	Native Hawaiian or Pacific Islander	53	6.6%	0.2%	Above expected # of cases
	Multiple races	191	0.7%	5.4%	Below expected # of cases
	Other	2,053	7.8%	3.1%	Above expected # of cases
	White	18,039	68.4%	88.8%	Below expected # of cases
	Unknown/Refused	5,308	20.1%	N/A	N/A

Data source: OPERA; United States Census Bureau, America Community Survey, Table B02001, B03003

Time period: 2020-2022; 2016-2020

Hospitalizations

Severe COVID-19 disease can cause viral pneumonia and raise the risk of cardiac events. Across Oregon, about 4% of reported COVID-19 cases require hospitalization. However, that proportion has not remained constant throughout the pandemic. The graphs below show weekly COVID-19 hospital admissions in the three counties.

Hospitalization trends have largely mirrored case rates throughout most of the pandemic, with about 4% of reported cases resulting in a hospital admission. However, this trend broke during the Omicron-caused surge in January 2022. While the number of Omicron cases was between 3 and 6 times higher than the number of Delta cases during August 2021, the hospitalization rate was mostly the same during the two surges. This has been attributed to higher vaccination rates in January 2022, and to the likelihood that the Omicron variant caused less severe illness than the Delta variant for most people.




Figure 9-4: Number of COVID-19 hospital admissions in Benton County over time

Data source: OPERA Time period: 2020-2022



Figure 9-5: Number of COVID-19 hospital admissions in Lincoln County over time

Data source: OPERA Time period: 2020-2022

For more information: contact the county health department



Figure 9-6: Number of COVID-19 hospital admissions in Linn County over time

Data source: OPERA Time period: 2020-2022

For more information: contact the county health department

Mortality

During the period between the beginning of the pandemic until the end of March 2022, 437 people died of COVID-19 in the LBL region. Figures 9-7 to 9-9 below show the number of deaths each month, separated by county.

COVID-19 deaths follow the same trends as cases, with the exception of the much smaller than expected rise in the death rate during the January 2022 Omicron surge.

Benton County's number of COVID-19 deaths per 100,000 people is less than half of Lincoln County's number of deaths per 100,000 people, and 37% of Linn County's number of deaths per 100,000 people (Table 9-3). These numbers are not adjusted for age, and a large portion of Benton County's population is college age, which has a lower risk of death than older populations. However, this difference is still very stark.




Figure 9-7: Number of COVID-19 deaths in Benton County over time

Data source: OPERA Time period: 2020-2022

For more information: contact the county health department




Figure 9-8: Number of COVID-19 deaths in Lincoln County over time

Data source: OPERA Time period: 2020-2022




Figure 9-9: Number of COVID-19 deaths in Linn County over time

Data source: OPERA Time period: 2020-2022

For more information: contact the local health department

Table 9-3: Number of COVID-19 deaths per 100,000 people by location

County	Number of deaths	Population	Deaths per 100,000 people
Benton	75	95,184	79
Lincoln	88	50,395	175
Linn	274	128,610	213

Data source: OPERA

Time period: March 2020-March 2022

For more information: contact the local health department

Vaccination

The first COVID-19 vaccines were developed in record time. Less than one year elapsed from the identification of the first United States case in January 2020 until emergency use authorization of the first vaccine in December 2020. Despite the rapid development, the vaccines were subject to rigorous and ongoing safety evaluations and have been authorized for wider segments of the population as additional safety and effectiveness studies have been submitted to the FDA. In May 2022, at least one COVID-19 vaccine was authorized for children as young as five years old. The CDC has recommended that most people complete a two-dose series of the COVID-19 vaccine, followed by a booster dose.

The rollout of the first COVID-19 vaccines in Oregon in January and February 2021 led to large vaccine uptake in the spring of 2021. There were both occupation and age-based eligibility requirements set by the Oregon Health Authority due to the limited supply of COVID-19 vaccines initially. Every couple of

weeks another population group became eligible for the vaccine, leading to consistently high demand for the first six months. After most individuals who wanted a vaccine received their first dose, vaccine uptake slowed, and has been growing slowly but steadily since around June 2021.

Benton County has the highest vaccination rate among the three counties in the LBL region. Linn County falls behind both Lincoln and Benton counties in the percent of community members with at least one dose of a COVID-19 vaccine. The COVID-19 vaccination data below utilizes Portland State University (PSU) population estimates, whereas the COVID-19 case and mortality data utilizes US Census population estimates. This accounts for the slight differences in population size.

COVID-19 vaccination rates vary by race/ethnicity and age. The LBL region's Native Hawaiian or Pacific Islander population had the highest rates of COVID-19 vaccination. Both Linn and Lincoln counties' Hispanic or Latinx populations had the lowest vaccination rates of any race/ethnicity group. In Benton County, the population with the lowest COVID-19 vaccination rate is the Black or African American population (Figure 9-5). Those ages 0-4 have the lowest rates of COVID-19 vaccination in the LBL region (Table 9-6). Those ages 6 months to 4 years became eligible for the COVID-19 vaccine in June 2022.

Table 9-4: Number of COVID-19 vaccinations by location

County	Number with 1+ dose	Population	Percent with 1+ dose
Benton	77,105	93,976	82.0%
Lincoln	40,065	50,903	78.7%
Linn	79,584	130,440	61.0%

Data source: Oregon Health Authority Workbook: Oregon Vaccine Metrics Summary Table (state.or.us)

Time period: January 2020 – February 2023 For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/OregonVaccineMetricsSummaryTable/OregonCOVID-

19VaccineProgressSummaryTable?%3AshowAppBanner=false&%3Adisplay_count=n&%3AshowVizHome=n&%3Ao

rigin=viz share link&%3AisGuestRedirectFromVizportal=y&%3Aembed=y

Table 9-5: Number of people with at least one dose of a COVID-19 vaccination by rarest race/ethnicity and location

County	Race/Ethnicity	Number vaccinated	Estimated population size	Percent of population with at least one dose
	American Indian or Alaska Native	1,997	2,422	82.5%
	Asian	5,604	6,871	81.6%
	Black or African American	1,274	1,812	70.3%
Benton	Hispanic or Latinx	4,408	5,976	73.8%
	Native Hawaiian or Pacific Islander	639	609	104.9%*
	White	59,266	74,370	79.7%
	Other	*	*	*
	American Indian or Alaska Native	2,391	3,313	72.2%
	Asian	749	904	82.9%
	Black or African American	539	761	70.8%
	Hispanic or Latinx	2,495	4,233	58.9%
Lincoln	Native Hawaiian or Pacific Islander	303	303	100.0%
	White	31,923	39,787	80.2%
	Other	*	*	*
	American Indian or Alaska Native	2,803	4,829	58.0%
	Asian	1,711	2,888	59.2%
	Black or African American	947	1,643	57.6%
Linn	Hispanic or Latinx	5,267	11,292	46.6%
	Native Hawaiian or Pacific Islander	588	836	70.3%
	White	66,275	105,572	62.8%
* The Overson	Other	*	*	*

^{*} The Oregon Health Authority database uses the "Other" race category as a default when race is unknown.

Because of this, the category includes many more individuals than those who would likely indicate "Other" race on the United States Census. Therefore, it is not possible to estimate the vaccination rate among "Other."

Data source: Oregon Health Authority Workbook: Oregon Vaccine Metrics Summary Table (state.or.us)

Time period: December 2020 - February 2023

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/OregonVaccineMetricsSummaryTable/OregonCOVID-

 $19 Vaccine Progress Summary Table? \%3 As how App Banner = false \& \%3 A display_count = n \& \%3 As how Viz Home = n \& \%3 Aorigin = viz_share_link \& \%3 Ais Guest Redirect From Viz portal = y \& \%3 Aembed = y$

^{*}Vaccination rates over 100% is due to more individuals within race/ethnicity categories received a vaccine with a current address in Oregon than are estimated in the population.

Table 9-6: Number of people with at least one dose of a COVID-19 vaccine by age group and location

County	Age group	Number vaccinated	Estimated population	Percent of population with at least one dose
	0 to 4	988	3,642	27.1%
	5 to 11	3,392	5,746	59.04%
Donton	12 to 17	4,323	5,372	80.47%
Benton	18 to 49	38,447	51,002	75.38%
	50 to 64	12,995	15,491	83.89%
	65 and older	16,960	12,723	133.3%*
	0 to 4	224	1,957	11.4%
	5 to 11	1,257	3,225	38.98%
Lincoln	12 to 17	1,964	2,853	68.85%
Lincoln	18 to 49	12,328	15,664	78.70%
	50 to 64	9,224	11,235	82.10%
	65 and older	15,068	15,970	94.35%
	0 to 4	424	7,711	5.5%
	5 to 11	2,462	11,182	22.02%
Lina	12 to 17	4,337	9,661	44.89%
Linn	18 to 49	31,744	51,504	61.63%
	50 to 64	17,478	24,463	71.45%
	65 and older	23,139	25,920	89.27%

^{*} Vaccination rates over 100% are due to more individuals within an age category having received a vaccine with a current address in Oregon than are estimated in the population.

Data source: Oregon Health Authority Workbook: Oregon Vaccine Metrics Summary Table (state.or.us)

Time period: December 2020 - February 2023

For more information: https://visual-

data.dhsoha.state.or.us/t/OHA/views/OregonVaccineMetricsSummaryTable/OregonCOVID-

19VaccineProgressSummaryTable?%3AshowAppBanner=false&%3Adisplay_count=n&%3AshowVizHome=n&%3Ao

10 Community Voices

In partnership with Samaritan Health Services, various forms of primary data were collected from community members and organizations to inform our assessment of regional health priorities. These different formats include the Regional Community Health Survey, Focus Groups, and Key Informant Interviews.

Regional Community Health Survey

Please see the Methodology section in Chapter 1: Introduction for more information about the Regional Community Health Survey (Community Survey). A total of 2,812 responses to the survey were collected through convenience sampling distributed by a broad range of channels. Table 10-1 shows a summary of demographic information about survey respondents. The highest proportion of respondents lived in Benton County (37%), followed by equal proportions from Lincoln (27%) and Linn County (27%). The survey invited participation from anyone who lived, worked, went to school, or spent time in Linn, Benton, or Lincoln County, and 9% of respondents lived outside the LBL region. Respondents were primarily middle-aged (age 25-64), identified as white or Caucasian, and were predominantly female (75%).

Table 10-1: Demographic information from the 2,812 Community Survey respondents

Respondent Characteristics	Percent of responses
County of residence	
Benton	37%
Lincoln	27%
Linn	27%
Other	9%
(Missing)	2%
Age	
Under 18 years old	1%
18 to 24 years old	6%
25 to 44 years old	35%
45 to 64 years old	36%
65 to 84 years old	17%
85 years or older	1%
(Missing)	4%
Race/ethnicity*	
African American or Black	3%
American Indian or Alaska Native	10%
Asian	3%
Pacific Islander	1%
White or Caucasian	80%
Hispanic or Latino	11%
Middle Eastern, North African, or Arab	1%
(Missing)	10%
Gender	
Female	75%
Male	22%
Non-binary or other gender	3%
(Missing)	1%
Languages spoken at home*	
English	88%
Spanish	4%
Arabic	1%
Other languages or multiple languages	5%
(Missing)	5%

^{*}Respondents could check multiple categories, so percentages do not add up to 100%


The Community Survey asked respondents to rate both the overall health of their community and their overall health as an individual. Most respondents felt that their community was 'healthy' (30%) or 'sort of healthy' (51%), while people felt that their individual health was overall slightly healthier (49% reported being 'healthy' while 30% reported being 'sort of healthy').

Table 10-2: Perceived health status among Community Survey respondents

Questions	Percent of responses	
"How healthy is your community?"		
Very healthy	3%	
Healthy	30%	
Sort of healthy	51%	
Unhealthy	13%	
Very unhealthy	2%	
"How healthy are you?"		
Very healthy	13%	
Healthy	49%	
Sort of healthy	30%	
Unhealthy	7%	
Very unhealthy	1%	

Additionally, the Community Survey also asked respondents to consider 30 topic areas and rate each topic as deserving the 'least attention', 'some attention', or 'most attention' (or 'don't know') in their community. Figure 10-1 shows that the topics with the highest proportion of 'most attention' responses included access to mental health care (83%), housing cost/rent and quality (74%), mental health (such as depression, anxiety) (74%), child abuse and neglect (71%), and access to medical care (65%).

Figure 10-1: High priority issues from Community Survey respondents



Qualitative Engagement Sessions

Please see the Methodology section in Chapter 1: Introduction for more detailed information on how focus groups and key informant interviews were conducted.

Focus Groups

Sixteen focus groups were completed with community members of Linn, Benton, and Lincoln counties. The frequency in which a given topic was discussed was totaled across all focus group sessions. Access to quality care was brought up most frequently by participants, having nearly four times the occurrence of any other topic. Other topics that repeatedly came up across focus groups included 1) a lack of diversity, equity, inclusion, and cultural representation in the community, 2) pregnancy, child health, and child education, 3) access to affordable housing, 4) food insecurity, 5) mental health, 6) and substance use and misuse. Participants also discussed chronic disease, transportation, and access to information, although these topics were brought up less frequently than those listed above.

Key Informant Interviews

Thirty-one key informant interviews were completed with community representatives of Linn, Benton, and Lincoln counties. Significant words and phrases from each key informant interview were identified and placed into thematic groups. For example, the statement "the COVID-19 pandemic has been very challenging" would be placed under the thematic group, disease and disability. The thematic groups identified from the key informant interviews include (in no particular order) 1) community health & quality of life, 2) mental & behavioral health, 3) access to care & resources, 4) disease & disability. The topics included in each of these thematic groups can be found in Table 10-3. Mentions of the topics within each thematic group varied by county as seen in Figure 10-4.

Table 10-3: Thematic groups from key informant interviews and their associated topics

Thematic group	Topics included		
	Lack of safe/accessible housing		
	Poor nutrition/food insecurity		
Community health & quality of life	Overwork/time pressures		
	Lack of exercise/fitness		
	Lack of access to education		
	Mental & behavioral health needs		
	Substance use disorder		
Mental & behavioral health	Social isolation/lack of community		
Wentar & Denavioral Health	Suicidality in youth		
	Tobacco use		
	Teen births		
	Lack of providers, appointments, and support		
Access to care & resources	Lack of cultural and linguistic competence/trust		
Access to care & resources	Cost of care/insurance		
	Lack of transportation		

Disease & disability	 Diabetes Disability/accessibility issues COVID-19 impacts Chronic health conditions
	Senior health
	Socioeconomic inequality

Table 10-4: Percent of key informant responses by thematic group and location

County	Thematic group	Percent of key informant interviews
	Community health & quality of life	33%
Donton	Mental & behavioral health	28%
Benton	Access to care & resources	28%
	Disease & disability	12%
	Community health & quality of life	11%
Linaala	Mental & behavioral health	43%
Lincoln	Access to care & resources	24%
	Disease & disability	16%
	Community health & quality of life	31%
Linn	Mental & behavioral health	31%
Linn	Access to care & resources	21%
	Disease & disability	14%

11 Summary

The 2022 - 2026 Regional Health Assessment (RHA) aimed to describe and compare the health status and conditions affecting residents in Linn, Benton, and Lincoln counties. Oregon is composed of 36 counties, 35 of which were ranked based on overall health outcomes and health factors in the 2022 County Health Rankings. Benton County ranked 1st among Oregon counties for health outcomes (including measures of length of life and quality of life) and 2nd for health factors (including health behaviors, clinical care, social and economic factors, and physical environment). ⁸⁰ Linn County was ranked in the middle of the 35 Oregon counties that received a ranking (16th for health outcomes and 17th for health factors) while Lincoln County ranked 27th for health outcomes and 33rd for health factors. These summary rankings highlight the variability within the LBL region as well as the potential opportunities to improve community health.

The 2022 RHA also identified challenges that individual counties and the region face. Benton County has better health outcomes than Linn and Lincoln counties in regard to communicable disease, gestational parent and child health, mental health, and chronic disease indicators. Conversely, Benton County tends to have higher economic disparities compared to other counties in the region. The identification of areas of weakness helps to inform public health interventions, ensure high risk populations are being correctly targeted for community programs, and improve needed access to care and resources.

Key Themes

Based on review of the data presented in this report, the Partnership for Community Health identified seven key themes. The themes are presented below in alphabetical order, with a brief summary of key data points for each topic.

Access to affordable housing & homelessness

- The percent of the K-12 student population experiencing homelessness in Lincoln County was 3 times higher than the state percentage in 2019-2020.
- The LBL region had a total population of around 870 peoples experience homelessness in 2019.
- Half of rented regional households in the LBL region experienced a housing burden in 2020.

Access to quality care

- In Linn and Lincoln counties, the rates of Primary Care Physicians is lower than the Oregon in 2020.
- In the LBL region, the rate of dentists is the below Oregon in 2020.
- In Linn and Lincoln counties, the rates of Behavioral Health Providers is lower than the Oregon in 2020.
- 14 service areas in the LBL region had less than 5 mental health care providers per 10,000 individuals in 2021; 5 service areas in the LBL region had no mental health providers in 2021.

Equity, Diversity & Inclusion

- The percentage of individuals living in poverty with a disability within Linn and Lincoln County is higher than the state in 2021.
- 1 in 9 individuals within the region spoke another language at home in 2020.
- Minoritized racial and ethnic groups in the region are more likely to live in poverty than White individuals in 2020.

Food Insecurity/Access

- 1 in 10 households in Benton County utilized SNAP benefits. This is lower than the other two counties (1 in 5) and the state in 2020.
- In 2020, the LBL region experienced higher percentages of food insecurity (1 in 8 individuals) in comparison to the state.
- Only 3.5 out of 10 people in the LBL region lived within walking distance to a grocery store in 2019.

Healthy Youth & Families

- Prenatal tobacco use affects 1 of every 6 pregnancies in both Lincoln and Linn counties and 1 of every 10 pregnancies in Benton County.
- In Linn and Lincoln counties, the number of pregnancies per 1,000 ages 15 to 19 is higher than the state in 2020.
- The LBL region had higher numbers of child abuse victims per 1,000 compared to Oregon in 2021.
- Lincoln County had almost twice as many children in foster care per 1,000 in comparison to Oregon in 2021.

Mental Health

- Over 1 in 5 residents in the LBL region have a diagnosis of depression in 2020.
- The suicide rate in Lincoln County was double that of Linn and Benton counties in 2020.
- 1 in 3 eighth graders in Lincoln County report being bullied. This is higher than Oregon in 2019.
- 2 in 5 11th graders felt sad or hopeless almost every day for two weeks in 2019.

Substance Use and Misuse

- Lincoln County drug overdose death rate per 100,000 persons is triple the rate of Benton County in 2019.
- In Linn and Lincoln counties, 1 in 6 individuals smoked cigarettes in 2020.
- 1 out of 3 eleventh graders report using E-Cigarettes in Linn County. This is higher than the other two counties and Oregon in 2019.
- 1 in 9 8th graders report using alcohol in the LBL region in 2019.
- In the LBL region, the percent of 11th graders who report misusing prescription drugs is higher than the state in 2019.

Conclusion

Community partners in the LBL region have already implemented a variety of programs aimed at improving the health status of residents including tobacco prevention and education programs, crisis services, well water testing, among countless others. Future interventions will further improve environmental conditions and reduce the health disparities associated with adverse health outcomes through the Regional Health Improvement Plan.

This report was a collaborative project that would not have been possible without the help and dedication of Benton, Lincoln, and Linn County Public Health Departments, Samaritan Health Services, InterCommunity Health Network Coordinated Care Organization, the Confederated Tribes of Siletz Indians, and United Way of Linn, Benton & Lincoln Counties. The project not only provided a safe place for community partners to express their program needs and concerns but allowed for the growth of relationships and strengthening of communication bonds between agencies. With ongoing collaboration, we will continue to strive to eliminate disparities and improve the health of all LBL community members.

Appendix 1: Acronyms used

ACS American Community Survey (data source)

CDC Centers for Disease Control and Prevention

LBL Linn, Benton, and Lincoln counties (the geographical area of focus for this assessment)

BRFSS Behavioral Risk Factor Surveillance System (data source)

IHN-CCO InterCommunity Health Network Coordinated Care Organization (a subsidiary of

Samaritan Health Services that administers the Oregon Health Plan for beneficiaries

living in Linn, Benton, and Lincoln counties)

OHA Oregon Health Authority (Oregon's state health agency, which oversees statewide

public health efforts as well as the Oregon Health Plan)

OHP Oregon Health Plan (Oregon's Medicaid program, managed by the Oregon Health

Authority)

OPHAT Oregon Public Health Assessment Tool (data source)

RHA Regional Health Assessment

SDOH Social Determinants of Health

STD Sexually Transmitted Disease

Appendix 2: Annotated list of select data sources

The following list provides more detail about some of the most common data sources used in the Regional Health Assessment report:

Behavioral Risk Factor Surveillance System (BRFSS)

The BRFSS, administered by the United States Centers for Disease Control and Prevention (CDC), continuously collects health data via telephone surveys. Adults residing in the United States are selected through random digit dialing conducted by public health departments and university partners. Approximately 400,000 adults residing in the United States are surveyed each year. Learn more at: https://www.cdc.gov/brfss/index.html

American Community Survey (ACS)

The American Community Survey is randomly administered to approximately 3.5 million United States households each year and collects information on socioeconomic, demographic, and housing characteristics. A two-phase systematic sampling scheme is utilized to select eligible housing units. If selected, participants are legally required to accurately complete the survey. In 2020, 74.2% of selected households in Oregon successfully responded to the survey. The data presented in this report was extracted from 5-year estimates between 2016 and 2020. Learn more:

https://www.census.gov/acs/www/methodology/sample-size-and-data-quality/response-rates/index.php.

County Health Rankings

The County Health Rankings compiles and standardizes data from secondary sources to rank counties within states on important health indicators. The program was developed by the Wisconsin Population Health Institute with funding from the Robert Wood Johnson Foundation and uses data from reliable national and local data sources. The County Health Ranking's health indicator are regularly age-adjusted to allow comparability among counties and over time. Rankings are updated annually, though the data used to calculate rankings varies in recency. Learn more at:

https://www.countyhealthrankings.org/explore-health-rankings/our-methods.

Oregon State Health Assessment

The Oregon State Health Assessment is conducted every five years with the aim of describing the health of Oregon residents. The assessment uses data extracted from a variety of primary data sources to collect information on health, demographic characteristics, and environmental factors. Learn more at: https://www.oregon.gov/oha/ph/about/pages/healthstatusindicators.aspx.

Oregon Healthy Teens Survey

The Oregon Healthy Teens survey is a comprehensive school-based survey that is administered to eighth and eleventh graders across the state during odd numbered years. Participation in the survey is confidential and voluntary. The survey covers a variety of topics, including but not limited to substance

use, healthy behaviors, and health conditions. The most recent available data is from 2019, including approximately 27,000 valid surveys were submitted by students. Learn more at: https://www.oregon.gov/oha/ph/birthdeathcertificates/surveys/oregonhealthyteens/pages/index.aspx

ALERT Immunization Information System

The ALERT Immunization Information System is a computerized registry that contains immunization records for children and adults across Oregon. Medical providers can directly input immunizations into the database to allow for efficient documentation across practices. One hundred percent of public clinics and ninety-two percent of private clinics utilize the database. All sites that administer COVID-19 vaccinations are required to report immunization administration to ALERT IIS. Learn more at: https://www.oregon.gov/oha/ph/preventionwellness/vaccinesimmunization/alert/pages/index.aspx.

Oregon Public Health Assessment Tool (OPHAT)

The Oregon Public Health Assessment Tool (OPHAT) is a web-based tool used by local and state public health agencies to access, analyze, and present data from multiple datasets.

Oregon Public Health Epidemiologist User System (Orpheus)

The Oregon Public Health Epidemiologist User System (Orpheus) is the electronic disease surveillance database used for all communicable diseases in the state of Oregon. Epidemiologists at the local and state level access the data when analyzing disease trends and conducting case investigations with sick persons.

Oregon Pandemic Emergency Response Application (Opera)

The Oregon Pandemic Emergency Response Application (Opera) is the Oregon electronic-disease surveillance system used to track all COVID-19 related health outcomes.

Oregon Environmental Public Health Tracking

Oregon Environmental Public Health Tracking complies data from the United States Environmental Protection Agency (EPA), hospital records, United States census data, and surveillance data from public health departments to improve the understanding of the role that environmental hazards and exposures have on health. The system is part of the larger CDC's National Tracking Network. Learn more at: https://www.oregon.gov/oha/PH/HealthyEnvironments/TrackingAssessment/EnvironmentalPublicHealthy

Appendix 3: References

¹ County Health Rankings. (2022). Explore Health Rankings. Retrieved from https://www.countyhealthrankings.org/explore-health-rankings.

² Portland State University. (2022). Population Estimate Reports. Retrieved from https://www.pdx.edu/population-research/population-estimate-reports.

³ The Oregon History Project. (2014). A changing Landscape and the Beginnings of White Settlement. Retrieved from https://www.oregonhistoryproject.org/articles/a-changing-landscape-and-the-beginnings-of-white-settlement/#.YsR anbMKUk.

⁴ Confederate Tribes of Grand Ronde. (2022). Our Story. Retrieved from https://www.grandronde.org/history-culture/history/our-story/.

⁵ Oregon State University. (2022). Enrollment and demographic reports. Retrieved from https://institutionalresearch.oregonstate.edu/enrollment-and-demographic-reports.

⁶ University of Oregon, Institute for Policy Research and Engagement. (2021). Lincoln County Economic Resilience. Retrieved from https://www.ocwcog.org/wp-content/uploads/2021/08/EcoRes County-Profile Lincoln Final.pdf.

⁷ Oregon State University, Extensive Service. (2020). Oregon By the Numbers. Retrieved from https://www.tfff.org/sites/default/files/OregonByTheNumbers2020 23Nov.pdf.

⁸ Oregon Health and Science University. (2021). Oregon Office of Rural Health. Retrieved from https://www.ohsu.edu/oregon-office-of-rural-health/about-rural-and-frontier-data.

⁹ Oregon State University. (2023). About. Retrieved from https://oregonstate.edu/about.

¹⁰ Oregon State University. (2023). Future Students. Retrieved from https://oregonstate.edu/future.

¹¹ NIHCM. (2022). Climate Change is Affecting Our Mental Health. Retrieved from https://nihcm.org/publications/climate-change-is-affecting-our-mental-health.

¹² Oregon.Gov. (2022). Oregon Office of Resilience & Emergency Management. Retrieved from https://www.oregon.gov/dhs/EmergencyManagement/Pages/index.aspx.

¹³ Oregon Health Authority. (2022). Summer 2022 Oregon ESSENCE Hazard Report. Retrieved from https://digital.osl.state.or.us/islandora/object/osl%3A996977.

¹⁴ Oregon Public Broadcasting. (2020). Heat Deaths. Retrieved from https://www.opb.org/pdf/OREGON heat deaths revised 1628632311939.pdf.

¹⁵ Oregon.Gov. Drought. Retrieved from https://www.oregon.gov/OWRD/programs/climate/droughtwatch/Pages/default.aspx

¹⁶ United States Environmental Protection Agency. (2014). Important Information About Your Drinking Water. Retrieved from https://www.epa.gov/sites/default/files/2014-04/documents/pn tthm haa5 mcl.pdf.

¹⁷ State of Oregon Department of Environmental Quality. (2017). 2017 Oregon Material Recovery and Waste Generation Rates Report. Retrieved from https://www.oregon.gov/deq/FilterDocs/2017mrwgrates.pdf.

¹⁸ State of Oregon Department of Environmental Quality. (2020). 2020 Recovery Rates for Plastic Waste and Food Waste. https://www.oregon.gov/deq/mm/Documents/DEQMMLegReportFoodPlasticWasteGoals2022.pdf

¹⁹ United States Environmental Protection Agency (2023). Toxics Release Inventory (TRI) Program. Retrieved from http://www.epa.gov/toxics-release-inventory-tri-program.

²⁰ United States Environmental Protection Agency (2020). 2020 TRI Factsheet: State-Oregon. Retrieved from https://enviro.epa.gov/triexplorer/tri factsheet.factsheet forstate?pstate=OR&pyear=2020.

²¹ State of Oregon Department of Environmental Quality. Cleaner Air Oregon. Retrieved from https://www.oregon.gov/deq/aq/cao/Pages/default.aspx.

²² United States Department of Human Services. Healthy People 2030: Social Determinants of Health. Retrieved from .https://health.gov/healthypeople/priority-areas/social-determinants-health.

²³ Centers for Disease Control and Prevention. (2014). About Healthy Places. Retrieved from https://www.cdc.gov/healthyplaces/about.htm.

²⁴ Oregon Health Authority. (2015). Environmental Public Health Tracking. Retrieved from https://public.health.oregon.gov/HealthyEnvironments/TrackingAssessment/EnvironmentalPublicHealthTracking/Pages/index.aspx.

²⁵ Oregon Department of Transportation. (2019). Oregon Transit Network 2019 Report. Retrieved from https://www.oregon.gov/odot/RPTD/RPTD Document Library/Transit-Network-Report.pdf

²⁶ Lincoln County, Oregon. Transit Intercity Bus Schedule. Retrieved from https://www.co.lincoln.or.us/transit/page/transit-intercity-bus-schedule-0.

²⁷ Active Living Research. (2011). Research Brief: The Power of Trails for Promoting Physical Activity in Communities. Retrieved from http://activelivingresearch.org/files/ALR Brief PowerofTrails 0.pdf.

²⁸ Oregon State University, Extensive Service. (2020). Oregon By the Numbers. Retrieved from https://www.tfff.org/sites/default/files/OregonByTheNumbers2020 23Nov.pdf.

²⁹ World Health Organization. (2022). Social determinants of health. Retrieved from https://www.who.int/health-topics/social-determinants-of-health.

³⁰ United States Census Bureau. (2020). Table S1901: Income in the Past 12 Months (In 2020 Inflations-Adjusted Dollars). Retrieved from https://data.census.gov/cedsci/table?q=income.

³¹ County Health Rankings. (2022). Income Inequality. Retrieved from https://www.countyhealthrankings.org/explore-health-rankings/county-health-rankings-model/health-factors/social-economic-factors/income/income-inequality?year=2022.

³² United States Department of Agriculture. (2021). Special Supplemental Nutrition Program for Women, Infants, and Children (WIC). Retrieved from . https://www.fns.usda.gov/wic/about-wic.

³³ United States Department of Agriculture. (2013). Supplemental Nutrition Assistance Program (SNAP). Retrieved from https://www.fns.usda.gov/snap/supplemental-nutrition-assistance-program.

³⁴ Feeding America. Hunger and Food Insecurity. Retrieved from What is Food Insecurity? | Feeding America.

³⁵ Community Service Consortium. (2021). Linn Benton Food Share- Everybody Eats. Retrieved from https://communityservices.us/wp-content/uploads/2022/10/Newsletter-Winter-2021-8.5x11.pdf.

³⁶ Food Share of Lincoln County. (2021). Annual Report Fiscal Year 2021. Retrieved from https://foodsharelc.org/wp-content/uploads/2022/07/Annual-Report-2021.pdf.

- ³⁹ Oregon Health Authority. (2020). Induced Abortion Data. Retrieved from https://www.oregon.gov/oha/PH/BirthDeathCertificates/VitalStatistics/Pages/Induced-Abortion-Data.aspx.
- ⁴⁰ UCLA School of Law, Williams Institute. (2022). How Many Adults and Youth Identify as Transgender in the United States. Retrieved from https://williamsinstitute.law.ucla.edu/publications/trans-adults-united-states/.
- ⁴¹ Association of American Medical Colleges. (2021). The Complexities of Physician Supply and Demand: Projections for 2019 to 2023. Retrieved from https://www.aamc.org/media/54681/download.
- ⁴² Association of American Medical Colleges. (2021). The Complexities of Physician Supply and Demand: Projections for 2019 to 2023. Retrieved from https://www.aamc.org/media/54681/download.
- ⁴³ Oregon Health Authority. (2021). Oregon's Health Care Workforce Less Diverse than State, Access Still Challenging in Rural Areas. Retrieved from https://content.govdelivery.com/accounts/ORDHS/bulletins/2be996f.
- ⁴⁴ Centers for Disease Control and Prevention. (2022). Improving Children's Behavioral Health. Retrieved from https://www.cdc.gov/childrensmentalhealth/features/child-mental-health.html.
- ⁴⁵ Centers for Disease Control and Prevention. (2022). Mental Health. Retrieved from https://www.cdc.gov/mentalhealth/index.htm.
- ⁴⁶ Centers for Disease Control and Prevention. (2022). About Chronic Diseases. Retrieved from https://www.cdc.gov/chronicdisease/about/index.htm.
- ⁴⁷ American Heart Association. (2019). Heart-Health Screenings. Retrieved from https://www.heart.org/en/health-topics/consumer-healthcare/what-is-cardiovascular-disease/heart-health-screenings.
- ⁴⁸ Centers for Disease Control and Prevention. (2022). What is Breast Cancer Screening. Retrieved from https://www.cdc.gov/cancer/breast/basic info/screening.htm.
- ⁴⁹ Charlesworth CJ, Meath TH, Schwartz AL, McConnell KJ. Comparison of Low-Value Care in Medicaid vs Commercially Insured Populations. JAMA Intern Med. 2016;176(7):998-1004. doi:10.1001/jamainternmed.2016.2086.
- ⁵⁰ Allen EM, Call KT, Beebe TJ, McAlpine DD, Johnson PJ. Barriers to Care and Health Care Utilization Among the Publicly Insured. Med Care. 2017;55(3):207-214. doi:10.1097/MLR.0000000000000644.
- ⁵¹ Capp R, Rooks SP, Wiler JL, Zane RD, Ginde AA. National study of health insurance type and reasons for emergency department use. J Gen Intern Med. 2014;29(4):621-627. doi:10.1007/s11606-013-2734-4.
- ⁵² Oregon Health Authority. (2020). Tobacco Prevention. Retrieved from https://www.oregon.gov/oha/ph/preventionwellness/tobaccoprevention/pages/oregon-tobacco-facts.aspx.

³⁷ Oregon Housing and Community Services. (2019). 2019 Point-in-Time County. Retrieved from https://public.tableau.com/app/profile/oregon.housing.and.community.services/viz/2019Point-in-TimeDashboard/Story1

³⁸ Eberly LA, Kallan MJ, Julien HM, et al. Patient Characteristics Associated With Telemedicine Access for Primary and Specialty Ambulatory Care During the COVID-19 Pandemic [published correction appears in JAMA Netw Open. 2021 Feb 1;4(2):e211913]. JAMA Netw Open. 2020;3(12):e2031640. Published 2020 Dec 1. doi:10.1001/jamanetworkopen.2020.31640.

- ⁵⁹ Centers for Disease Control and Prevention. (2021). About Teen Pregnancy. Retrieved from https://www.cdc.gov/teenpregnancy/about/index.htm.
- ⁶⁰ Centers for Disease Control and Prevention. (2021). Breastfeeding Benefits Both Baby and Mom. Retrieved from https://www.cdc.gov/nccdphp/dnpao/features/breastfeeding-benefits/index.html.
- ⁶¹ Nandi A, Shet A. Why vaccines matter: understanding the broader health, economic, and child development benefits of routine vaccination. Hum Vaccin Immunother. 2020;16(8):1900-1904. doi:10.1080/21645515.2019.1708669.
- ⁶² Centers for Disease Control and Prevention. (2022). Improving Children's Behavioral Health. Retrieved from https://www.cdc.gov/childrensmentalhealth/features/child-mental-health.html.
- ⁶³ Centers for Disease Control and Prevention. (2022). Mental Health. Retrieved from https://www.cdc.gov/mentalhealth/index.htm.
- ⁶⁴ Mental Health America. (2020). Ranking the States. Retrieved from https://www.mhanational.org/issues/ranking-states.
- ⁶⁵ Oregon Health Authority. (2020). Healthier Together Oregon: 2020-2024 State Health Improvement Plan. Retrieved from https://www.oregon.gov/oha/PH/About/Pages/HealthImprovement.aspx.
- ⁶⁶ Centers for Disease Control and Prevention. (2021). About Mental Health. Retrieved from https://www.cdc.gov/mentalhealth/learn/index.htm.
- ⁶⁷ Centers for Disease Control and Prevention. (2022). New CDC data illuminate youth mental health threats during the COVID-19 pandemic. Retrieved from https://www.cdc.gov/media/releases/2022/p0331-youth-mental-health-covid-19.html.
- ⁶⁸ Centers for Disease Control and Prevention. (2020). Smoking and Tobacco Use: Health Effects. Retrieved from https://www.cdc.gov/tobacco/basic information/health effects.
- ⁶⁹Oregon Health Authority. Oregon Tobacco Facts. Retrieved from https://www.oregon.gov/oha/ph/preventionwellness/tobaccoprevention/pages/oregon-tobacco-facts.aspx.

⁵³ Centers for Disease Control and Prevention. (2022). About Chronic Diseases. Retrieved from https://www.cdc.gov/chronicdisease/about/index.htm.

⁵⁴ American Cancer Society. (2022). Lung Cancer. Retrieved from https://www.cancer.org/cancer/lung-cancer/causes-risks-prevention/risk-factors.html.

⁵⁵ World Health Organization. (n.d.). Health topics: Infectious diseases. Retrieved from https://www.emro.who.int/health-topics/infectious-diseases/index.html.

⁵⁶ United States Department of Health and Human Services. (2021). Office on Women's Health. Retrieved from .https://www.womenshealth.gov/a-z-topics/prenatal-care.

⁵⁷ Centers for Disease Control and Prevention. (2020). Smoking During Pregnancy. Retrieved from https://www.cdc.gov/tobacco/basic information/health effects/pregnancy/index.htm.

⁵⁸ Gill SV, May-Benson TA, Teasdale A, Munsell EG. Birth and developmental correlates of birth weight in a sample of children with potential sensory processing disorder. BMC Pediatr. 2013;13:29. Published 2013 Feb 25. doi:10.1186/1471-2431-13-29.

⁷⁰ Oregon Health Authority. Opioid Overuse and Misuse. Retrieved from https://www.oregon.gov/oha/PH/PREVENTIONWELLNESS/SUBSTANCEUSE/OPIOIDS/Pages/data.aspx.

⁷¹ Koehler K, Drenowatz C. Integrated Role of Nutrition and Physical Activity for Lifelong Health. Nutrients. 2019;11(7):1437. Published 2019 Jun 26. doi:10.3390/nu11071437.

⁷² United States Department of Health and Human Services. Physical Activity Guidelines for Americans. Washington, DC: United States Department of Health and Human Services; 2008. Retrieved from https://www.cdc.gov/healthyschools/physicalactivity/guidelines-backup.htm#:~:text=Children%20and%20adolescents%20should%20have,least%203%20days%20a%20week.

⁷³ United States Department of Health and Human Services. Physical Activity Guidelines for Americans. Washington, DC: United States Department of Health and Human Services; 2008. Retrieved from https://www.cdc.gov/healthyschools/physicalactivity/guidelines-backup.htm#:~:text=Children%20and%20adolescents%20should%20have,least%203%20days%20a%20week.

⁷⁴ Bergamo, C., Juarez-Colunga, E., & Capp, R. (2016). Association of mental health disorders and Medicaid with ED admissions for ambulatory care-sensitive condition conditions. The American journal of emergency medicine, 34(5), 820–824. https://doi.org/10.1016/j.ajem.2016.01.023.

⁷⁵ Oregon Laws. (2021). Rule 309-019-0225: Assertive Community Treatment (ACT) Definitions. Retrieved from https://oregon.public.law/rules/oar 309-019-0225.

⁷⁶ Oregon Laws. (2021). Rule 309-019-0225: Assertive Community Treatment (ACT) Definitions. Retrieved from https://oregon.public.law/rules/oar 309-019-0225.

⁷⁷ USA Facts. (2023). United States COVID-19 Cases and Deaths by State. Retrieved from https://usafacts.org/visualizations/coronavirus-covid-19-spread-map.

⁷⁸ USA Facts. (2023). Untied States COVID-19 Cases and Deaths by State. Retrieved from https://usafacts.org/visualizations/coronavirus-covid-19-spread-map.

⁷⁹ Oregon Health Authority (2020). External Relations Division. Retrieved from https://www.oregon.gov/oha/ERD/Pages/Oregon-First-Presumptive-Case-Novel-Coronavirus.aspx.

⁸⁰ County Health Rankings. (2022). Explore Health Rankings. Retrieved from https://www.countyhealthrankings.org/explore-health-rankings.